

More plastic is on the way: What it means for climate change

February 21 2020, by Renee Cho



The L.A. River. [Photo: Kqedquest](#)

With the recent fracking boom causing low gas prices, fossil fuel

companies are seeking other ways to bolster their profits—by making more plastic. Just as the world is starting to address its enormous plastic pollution problem, these companies are doubling down on plastic, with huge potential consequences for climate and the environment.

The over-abundance of natural gas has resulted in the lowest gas prices since 2016. Consequently, some [fossil fuel companies](#) are being forced to shut down drilling rigs and file for bankruptcy protection. Big companies like Exxon Mobil, Shell and Saudi Aramco, which see signs of a coming decline in [fossil fuel use](#), are compensating for the low prices by investing in plastic production, since plastics are made from oil, gas and their byproducts. As a result, the World Economic Forum expects plastic production to double by 2040.

Natural gas contains ethane, which is a building block of plastic. Because the U.S. has extracted so much ethane with its natural gas, over \$200 billion have been invested into 333 new chemical and plastics projects, as of the end of 2019.

Judith Enck, former regional EPA director and a founder of Beyond Plastics, has said that 2020 is a critical year because many of the new plastic production facilities in the U.S. are in the permitting process; "If even a quarter of these ethane cracking facilities are built," she said, "it's locking us into a plastic future that is going to be hard to recover from." One analyst from the data and analytics firm IHS Markit said that unless plastic production is slowed down, "they'll just find something else to wrap in plastic."

Ethane crackers

Ethane is an odorless and colorless constituent of natural gas. To make plastic, companies separate it from the natural gas mixture and convey it in liquid form via pipeline to an "ethane cracker," a large industrial plant

that uses intense heat to crack or break apart ethane molecules. These molecules then reform into ethylene, a basic building block of the petrochemical industry that is used to make resins, adhesives, chemicals, and plastics. In the process, ethane crackers can emit pollutants such as nitrogen oxides, sulfur dioxide and particulate matter, as well as benzene, which is carcinogenic, and volatile organic compounds that can react with sunlight to form ground-level ozone.

The United States already produces around [40%](#) of the world's ethane-based petrochemicals and is the largest exporter of ethane, selling to Norway, the U.K., and Scotland, and to China and India, where plastic demand is rising.

The Department of Energy (DOE) expects that by 2025, the eastern U.S., including Appalachia, will be producing [20 times](#) more ethane than it did in 2013.

In 2018, DOE published a [report](#) about the potential for Appalachia to become a new "ethane hub" because of its Marcellus and Utica shale resources, and the Trump administration is touting the plastics and petrochemical industry as the next big thing for the region.

Ohio, Pennsylvania, and West Virginia's share of U.S. natural gas production has gone from [2% in 2008 to 27% in 2017](#). IHS Markit projects that these three states, also known as the Shale Crescent, will supply 37% of the U.S.'s natural gas by 2040, enough to support five large ethane crackers. Shell is currently building a \$6 billion ethane cracker 25 miles northwest of Pittsburgh.

New petrochemical plants are also planned near the Gulf Coast of Texas and Louisiana and the Lower Mississippi River, an area already called "Cancer Alley" because of the toxic emissions from its existing petrochemical plants. Two large ethane crackers came online on the Gulf

Coast in December with two smaller facilities scheduled to open soon.

Plastic proliferation and pollution

The annual demand for plastic has almost doubled since 2000. And the growing global population, improving economic conditions and technological progress will create even more demand for plastics in the future, according to a [report by the International Energy Agency](#) (IEA). Currently, the U.S. and other developed countries use up to 20 times as much plastic per person as India, Indonesia and other developing countries.

The U.S. also produces more plastic packaging waste per capita than any other country. This throwaway plastic packaging makes up 40% of all plastic, with most ending up in landfills; the rest is incinerated or recycled. A Center for International Environmental Law (CIEL) report, *Plastic & Climate*, found that as of the end of 2015, 8,300 million metric tons of virgin plastic had been produced globally, two-thirds of which remains in the environment.

Every year, [almost 10 million metric tons](#) of plastic wind up in the ocean, where it is consumed by marine animals, and plastic waste is found on beaches in even the most remote places on Earth. Plastic also pollutes land, especially on farms where sewage sludge is used for fertilizer.

Bisphenol A (BPA), a chemical component in the plastic of some water bottles and the lining of tin cans, has been found in the cord blood of nine out of 10 infants and in the urine of 95% of adult Americans tested. Some research indicates that it can disrupt hormone and reproductive systems. Microplastic and tiny plastic fibers have been found in honey, sugar, beer, processed foods, shellfish, salt, detergent, bottled water and tap water; however, the health effects of microplastics are still unclear.

The climate implications of plastic

Plastic not only poses an immense pollution problem—it also exacerbates climate change. The CIEL report warns that the greenhouse gas emissions from plastic jeopardize our ability to keep the global temperature rise below 1.5°C. If plastic production stays on its current trajectory, by 2030, greenhouse gas emissions from plastic could reach [1.34 billion tons per year](#), equivalent to the emissions produced by 300 new 500MW coal-fired power plants. This is because more than 99% of plastics are made from fossil fuels, both natural gas and crude oil—and because plastic results in greenhouse gas emissions at every stage of its lifecycle.

Extraction and transport

Greenhouse gas emissions result initially when forested land and fields are cleared to make way for wellpads and pipes to drill for oil and natural gas.


If one-third of the 19.2 million acres in the U.S. that have been cleared for extraction was once forested, it means that almost [1.7 billion metric tons](#) of carbon dioxide have been emitted as a consequence of deforestation; moreover, the forested land's ability to take up an additional [6.5 million metric tons](#) of carbon each year has been eliminated.

The fracking process emits methane, a greenhouse gas that, over 20 years, traps more than 84 times more heat in the atmosphere than does carbon dioxide. Methane results from flaring and leakage, which can occur anywhere from the well to the end user.

Emissions are also produced by combusting the fuel to operate the

drilling equipment.

In 2015, emissions from extraction and transport for plastic production were [9.5-10.5 million metric tons of CO₂](#) in the U.S. alone—the equivalent of the emissions of 2.1 million passenger cars driven for a year.



Growth in ethane production, consumption and exports. Credit: [USEIA](#)

Refining and manufacture

"Plastics is among the most energy-intensive materials to produce," according to the head of CIEL. Ethane cracking is energy intensive because of the high heat needed, and produces significant emissions, as do the chemical refining processes that make other plastics.

The annual emissions from the new Shell ethane cracker and an

ExxonMobil ethylene plant in Baytown, TX are projected to be equivalent to adding almost 800,000 new cars to the road. Greenhouse gas emissions from the Shell plant alone could cancel out all the benefits of nearby [Pittsburgh's carbon reduction measures](#). And these are just two of the over 300 planned petrochemical projects being built in the U.S. mainly to produce plastic and plastic feedstocks.

Discarded plastic

After it's used, plastic is incinerated, recycled or ends up in a landfill.

Carbon from the fossil fuel feedstock is locked into plastic products and emitted when plastic is incinerated or decomposes. In 2015, 25% of global plastic waste was incinerated; in the U.S., emissions from plastic incineration were equivalent to 5.9 million metric tons of CO₂, equivalent to the emissions from heating 681,000 homes for a year.

Only about [8.4%](#) of plastic is recycled. But, according to scientists from UC Santa Barbara, even recycling plastic produces greenhouse gas emissions, as fossil fuels are combusted to run the machines that shred plastic waste and heat it up to make other products.

Plastics in the environment, such as those that persist in landfills and litter coastlines all over the world, have been found by [University of Hawaii researchers](#) to release the greenhouse gases methane and ethylene when sunlight hits them; moreover, emissions from plastic on the ocean surface increase as the plastic breaks down.

Could microplastics affect the ocean's ability to absorb carbon dioxide?

The ocean absorbs carbon dioxide from the atmosphere, thus reducing

the amount of warming emissions would cause if they remained in the atmosphere. Phytoplankton in the ocean play an essential role in this process, taking carbon dioxide from the atmosphere and storing it in the ocean via photosynthesis. Scientists are currently trying to determine if microplastics in the ocean interfere with phytoplankton's ability to sequester carbon.

Joaquim Goes, a research professor at the Earth Institute's Lamont-Doherty Earth Observatory, said that although he has not seen any studies that show a direct effect of microplastics on phytoplankton, "We have seen microplastics attach onto phytoplankton under the microscope. Phytoplankton can shed extra sticky carbohydrates through photosynthesis, and plastics can attach onto the sticky material. One thing you can assume is that if you have too many microplastic particles, they compete with phytoplankton for light."

Marco Tedesco, a research professor at Lamont-Doherty Earth Observatory, who currently researches [microplastic in snow](#) and how it evolves, said that the chemicals used to make plastic could have unknown effects. "The chemicals that have been used during their lifecycle are heavily toxic and there's very little regulation about the use of these elements when it comes to plastics," said Tedesco. "So the treatment of microplastics requires an extra level of attention because of the potential harm related to the chemicals that are used to treat plastics to make them colorful, more resilient, and impermeable. After a certain point, all the chemicals can permeate through the plastic and you don't know what the consequences are."

In fact, a 2019 study by researchers from Macquarie University in Australia studied how substances leached from plastic affected *Prochlorococcus*, a tiny type of phytoplankton considered a key player in the photosynthetic process that fixes carbon. Exposure to the leachate compromised its *in vitro* growth and photosynthetic capacity and

resulted in changes in its genome.

There is still much that scientists don't know about microplastics, their impacts on the environment or what to do about them, but one thing we do know: "Anything that we produce that we put into the atmosphere or on our planet—microplastics and CO₂—are going to be around. They're not going anywhere," said Tedesco, "You can stop producing plastics now and you can stop emitting CO₂ now, but the effect of what's left in the atmosphere or what's around in terms of microplastics will still be huge.... And there's really no clear technological path to the removal of microplastics at any scale."

What solutions could yield results?

Recycling

Right now, plastic recycling in the U.S. is not working well. For decades, the U.S. sent its recycled plastic to China, but in 2017, China banned certain types of solid waste—mainly plastics. Without a market for recycled plastic, recycling is [no longer economically viable](#) for many municipalities. The [Plastic Pollution Coalition](#) estimates that in 2018, only 2% of municipal plastic waste was recycled in the U.S. and six times more plastic was burned than recycled.

That year, the U.S. sent 68,000 shipping containers of recycled plastic to countries such as Bangladesh, Laos, Cambodia, Philippines, Turkey, Ethiopia and Senegal—countries that are not able to handle most of their own plastic waste.

Recycled plastic used to be cheaper than new plastic, but because of the boom in petrochemical production in the U.S., and because of the demand for recycled plastic from sustainable companies, virgin plastic is becoming cheaper than recycled. As an example, Nestle, which is often

considered one of the world's worst plastic polluters, is going to pay above market rate for recycled plastic in an attempt to reach its goal of reducing virgin plastic use by one-third by 2025.

Plastic bans

As of 2018, 127 countries had some type of legislation regulating plastic bags, according to a [United Nations Environment Programme report](#). These bills might involve limiting the bags' manufacture or use, taxing them or regulating their disposal. Twenty-seven countries have banned certain plastic products, such as packaging, plates, cups and straws. Sixty-three countries have required extended producer responsibility for single-use plastics, where producers of the plastic are responsible, financially or physically, to deal with their disposal.

In the U.S., the only federal ban on plastics is the [Microbead-free Waters Act of 2015](#), forbidding the use of microbeads in cosmetics. Eight states have enacted other plastic restrictions, and 24 states have passed approximately 330 local plastic bag laws.

Christof Ruehl, a senior research scholar at Columbia University's Center on Global Energy Policy, is sanguine about the effectiveness of these bans and recycling. He and a colleague researched the potential impacts of a modest reduction in the demand for packaging material and a small improvement in plastic recycling. They cited three outcomes. "It brings peak oil demand forward by about five years into the mid- to late 2020s," said Ruehl. "Secondly, it creates stranded assets because a lot of especially national companies are now heavily investing into new petrochemical facilities, because they believe plastic demand will continue rising. And thirdly—this I found really amazing—the impact of a successful campaign globally against the use of single-use plastics has a larger dent in oil demand than the dent caused by electric cars." In other words, effective regulations on plastic could reduce oil demand by at

least as much as the adoption of electric cars 20 years from now.

The CIEL report studied possible solutions to the plastic pollution problem and determined that five measures would reduce greenhouse gas emissions the most and deliver environmental and social benefits:

1. Ending the production and use of single-use, disposable plastic;
2. Stopping development of new oil, gas, and petrochemical infrastructure;
3. Promoting zero-waste communities;
4. Requiring extended producer responsibility;
5. Adopting and enforcing ambitious targets to reduce [greenhouse gas emissions](#) from all sectors, including plastic production.

It's important to bear in mind, however, that even if it were possible to achieve these measures and eliminate all demand for plastic, "You will have to replace the [plastic](#) with something else," said Ruehl. "That something else would use energy and produce carbon emissions. Glass and paper, for example, are very energy-intensive. So in order to get a complete picture, you would have to study these replacements, but no one has done that yet."

This story is republished courtesy of Earth Institute, Columbia University
<http://blogs.ei.columbia.edu>.

Provided by Earth Institute, Columbia University

Citation: More plastic is on the way: What it means for climate change (2020, February 21)
retrieved 19 September 2024 from <https://phys.org/news/2020-02-plastic-climate.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.