


Ancestor of all animals identified in Australian fossils

March 23 2020



Artist's rendering of *Ikaria wariootia*. Credit: Sohail Wasif/UCR


A team led by UC Riverside geologists has discovered the first ancestor on the family tree that contains most familiar animals today, including humans.

The tiny, wormlike creature, named *Ikaria wariootia*, is the earliest bilaterian, or organism with a front and back, two symmetrical sides, and openings at either end connected by a gut. The paper is published today in *Proceedings of the National Academy of Sciences*.

The earliest multicellular organisms, such as sponges and algal mats, had variable shapes. Collectively known as the Ediacaran Biota, this group contains the oldest fossils of complex, multicellular organisms. However, most of these are not directly related to animals around today, including lily pad-shaped creatures known as *Dickinsonia* that lack basic features of most animals, such as a mouth or gut.

The development of bilateral symmetry was a critical step in the evolution of animal life, giving organisms the ability to move purposefully and a common, yet successful way to organize their bodies. A multitude of animals, from worms to insects to dinosaurs to humans, are organized around this same basic bilaterian body plan.

Evolutionary biologists studying the genetics of modern animals predicted the oldest ancestor of all bilaterians would have been simple and small, with rudimentary sensory organs. Preserving and identifying the fossilized remains of such an animal was thought to be difficult, if not impossible.



A 3D laser scan that showing the regular, consistent shape of a cylindrical body with a distinct head and tail and faintly grooved musculature. Credit: Droser Lab/UCR

For 15 years, scientists agreed that fossilized burrows found in 555 million-year-old Ediacaran Period deposits in Nilpena, South Australia, were made by bilaterians. But there was no sign of the creature that made the burrows, leaving scientists with nothing but speculation.

Scott Evans, a recent doctoral graduate from UC Riverside; and Mary Droser, a professor of geology, noticed miniscule, oval impressions near

some of these burrows. With funding from a NASA exobiology grant, they used a three-dimensional laser scanner that revealed the regular, consistent shape of a cylindrical body with a distinct head and tail and faintly grooved musculature. The animal ranged between 2-7 millimeters long and about 1-2.5 millimeters wide, with the largest the size and shape of a grain of rice—just the right size to have made the burrows.

"We thought these [animals](#) should have existed during this interval, but always understood they would be difficult to recognize," Evans said. "Once we had the 3-D scans, we knew that we had made an important discovery."

The researchers, who include Ian Hughes of UC San Diego and James Gehling of the South Australia Museum, describe *Ikaria wariootia*, named to acknowledge the original custodians of the land. The genus name comes from Ikara, which means "meeting place" in the Adnyamathanha language. It's the Adnyamathanha name for a grouping of mountains known in English as Wilpena Pound. The species name comes from Warioota Creek, which runs from the Flinders Ranges to Nilpena Station.



Ikaria wariootia impressions in stone. Credit: Droser Lab/UCR

"Burrows of *Ikaria* occur lower than anything else. It's the oldest fossil we get with this type of complexity," Droser said. "*Dickinsonia* and other big things were probably evolutionary dead ends. We knew that we also had lots of little things and thought these might have been the early bilaterians that we were looking for."

In spite of its relatively simple shape, *Ikaria* was complex compared to other fossils from this period. It burrowed in thin layers of well-oxygenated sand on the ocean floor in search of organic matter, indicating rudimentary sensory abilities. The depth and curvature of *Ikaria* represent clearly distinct front and rear ends, supporting the directed movement found in the burrows.

The burrows also preserve crosswise, "V"-shaped ridges, suggesting *Ikaria* moved by contracting muscles across its body like a worm, known as peristaltic locomotion. Evidence of sediment displacement in the burrows and signs the organism fed on buried organic matter reveal *Ikaria* probably had a mouth, anus, and gut.

"This is what evolutionary biologists predicted," Droser said. "It's really exciting that what we have found lines up so neatly with their prediction."

More information: Scott D. Evans et al., "Discovery of the oldest bilaterian from the Ediacaran of South Australia," *PNAS* (2020).
www.pnas.org/cgi/doi/10.1073/pnas.2001045117

Provided by University of California - Riverside

Citation: Ancestor of all animals identified in Australian fossils (2020, March 23) retrieved 21 September 2024 from <https://phys.org/news/2020-03-ancestor-animals-australian-fossils.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.