

Is nonlocality inherent in all identical particles in the universe?

March 25 2020



Identity of particles entails their entanglement, which can also be observed in pure form without interaction. Credit: Shutter2U/Vecteezy

What is interaction, and when does it occur? Intuition suggests that the necessary condition for the interaction of independently created particles is their direct touch or contact through physical force carriers. In quantum mechanics, the result of the interaction is entanglement—the appearance of non-classical correlations in the system. It seems that quantum theory allows entanglement of independent particles without any contact. The fundamental identity of particles of the same kind is responsible for this phenomenon.

Quantum mechanics is currently the best and most accurate theory used by physicists to describe the world around us. Its characteristic feature, however, is the abstract mathematical language of [quantum mechanics](#), notoriously leading to serious interpretational problems. The view of reality proposed by this theory is still a subject of scientific dispute that, over time, is only becoming hotter and more interesting. New research motivation and intriguing questions are brought forth by a fresh perspective resulting from the standpoint of quantum information and the enormous progress of experimental techniques. These allow verification of the conclusions drawn from subtle thought experiments directly related to the problem of interpretation. Moreover, researchers are now making enormous progress in the field of quantum communication and quantum computer technology, which significantly draws on non-classical resources offered by quantum mechanics.

Pawel Blasiak from the Institute of Nuclear Physics of the Polish Academy of Sciences in Krakow and Marcin Markiewicz from the University of Gdansk focus on analyzing widely accepted paradigms and theoretical concepts regarding the basics and interpretation of quantum

mechanics. The researchers are trying to determine to what extent the intuitions used to describe quantum mechanical processes are justified in a realistic view of the world. For this purpose, they try to clarify specific theoretical ideas, often functioning in the form of vague intuitions, using the language of mathematics. This approach often results in the appearance of inspiring paradoxes. Of course, the more basic the concept to which a given paradox relates, the better, because it opens up new doors to deeper understanding a given problem.

In this spirit, both scientists considered the fundamental question: What is interaction, and when does it occur? In quantum mechanics, the result of interaction is entanglement, which is the appearance of non-classical correlations in the system. Imagine two particles created independently in distant galaxies. It would seem that a necessary condition for the emergence of entanglement is the requirement that at some point in their evolution, the particles touch one another, or at least that indirect contact should take place through another particle or physical field to convey the interaction. How else can they establish the mysterious bond of quantum entanglement? Paradoxically, however, it turns out that this is possible. Quantum mechanics allows entanglement to occur without the need for any contact, even indirect.

To justify such a surprising conclusion requires a scheme in which the particles show non-local correlations at a distance (in a Bell-type experiment). The subtlety of this approach is to exclude the possibility of an interaction understood as some form of contact along the way. Such a scheme should also be economical, so it must exclude the presence of force carriers that could mediate this interaction, including a physical field or intermediate particles. Blasiak and Markiewicz showed how this can be done by starting from the original considerations of Yurke and Stoler, which they reinterpreted as a permutation of paths traversed by the particles from different sources. This new perspective allows the generation of any entangled states of two and three particles,

avoiding any contact. The proposed approach can easily be extended to more particles.

How is it possible to entangle independent particles at a distance without their interaction? One hint is suggested by quantum mechanics itself, in which the identity—the fundamental indistinguishability of all particles of the same kind—is postulated. This means, for example, that all photons (as well as other families of elementary particles) in the entire universe are the same, regardless of their distance. From a formal perspective, this boils down to symmetrization of the wave function for bosons or its antisymmetrization for fermions.

Effects of particle identity are usually associated with their statistics having consequences for a description of interacting multi-particle systems (such as Bose-Einstein condensates or solid-state band theory). In the case of simpler systems, the direct result of particle identity is the Pauli exclusion principle for fermions or bunching in quantum optics for bosons. The common feature of all these effects is the contact of particles at one point in space, which follows the simple intuition of interaction (for example, in particle theory, this comes down to interaction vertices). Hence the belief that the consequences of symmetrization can only be observed in this way. However, interaction by its very nature causes entanglement. Therefore, it is unclear what causes the observed effects and non-classical correlations: Is it an interaction in itself, or is it the inherent indistinguishability of particles? The scheme proposed by the scientists bypasses this difficulty, eliminating interaction that could occur through any contact. Hence, the conclusion that non-classical correlations are a direct consequence of the postulate of particle identity. It follows that a way exists for purely activating entanglement from their fundamental indistinguishability.

This type of view, starting from questions about the basics of quantum mechanics, can be practically applied to generate entangled states for

quantum technologies. The article shows how to create any entangled state of two and three qubits, and these ideas are already implemented experimentally. It seems that the considered schemes can be successfully extended to create any entangled many-particle states. As part of further research, the scientists intend to analyze in detail the postulate of identical particles, both from the standpoint of theoretical interpretation and practical applications.

Surprisingly, the postulate of the indistinguishability of particles is not only a formal mathematical procedure, but in its pure form, leads to the consequences observed in laboratories. Is nonlocality inherent in all identical particles in the universe? The photon emitted by the monitor screen and the photon from the [distant galaxy](#) at the depths of the universe seem to be entangled only by their identical nature. This is a great mystery that science will soon confront.

More information: Pawel Blasiak et al, Entangling three qubits without ever touching, *Scientific Reports* (2019). [DOI: 10.1038/s41598-019-55137-3](#)

Provided by Polish Academy of Sciences

Citation: Is nonlocality inherent in all identical particles in the universe? (2020, March 25) retrieved 20 September 2024 from <https://phys.org/news/2020-03-nonlocality-inherent-identical-particles-universe.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--