

Protective gene in wild wheatgrass could stop fusarium head blight in wheat and barley

April 10 2020, by Bob Yirka



Credit: CC0 Public Domain

A team of researchers from several institutions in China, one in the U.S. and one in Israel, has found a protective gene in wild wheatgrass that shows promise in stopping fusarium head blight in wheat and barley

crops. In their paper published in the journal *Science*, the group describes how they found the gene and how well it has worked against fungal infections in test crops.

Fusarium head blight is a growing concern among wheat and barley growers around the world—also known as wheat scab, the fungus eats the grain in such plants, reducing yields. Worse, it leaves behind toxins in the uneaten grain, making it unsellable. Farmers have tried a wide variety of antifungal agents to rid their [crops](#) of the infections, but have not made much progress because the fungus attacks during the wet seasons—rain washes away the treatments. One approach that has seen some degree of success is genetically engineering certain wheat types to express a gene that has been found to confer some degree of resistance in a Chinese heirloom—but it has thus far proven to provide only modest protection. In this new effort, the researchers have found a gene in a wild grass that is resistant to *Fusarium graminearum*—the fungus behind head blight—that appears to confer stronger resistance to infections.

The work involved a very long-term study of the wheatgrass *Thinopyrum elongatum*—early on, they discovered that it was resistant to *F. graminearum*. But it took nearly two decades to figure out which of its [genes](#) provided resistance—Fhb7. They found it coded for an enzyme called glutathione S-transferase, which works by degrading toxins in the fungus that lead to the blight seen in crops. The next step involved adding the gene to wheat plants at a [test facility](#) to find out if it had unwanted side-effects. Thus far, they have found that adding the gene to [wheat](#) plants makes them more resistant to *F. graminearum*—and it does not reduce crop yields. They note that more testing is required to determine how effective the gene is at helping the plants ward off infections, and also to find out what happens when it is used with the gene from the Chinese heirlooms.

More information: Hongwei Wang et al. Horizontal gene transfer of

Fhb7 from fungus underlies Fusarium head blight resistance in wheat, *Science* (2020). [DOI: 10.1126/science.aba5435](https://doi.org/10.1126/science.aba5435)

[Press release](#)

© 2020 Science X Network

Citation: Protective gene in wild wheatgrass could stop fusarium head blight in wheat and barley (2020, April 10) retrieved 20 September 2024 from <https://phys.org/news/2020-04-gene-wild-wheatgrass-fusarium-blight.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.