

# Geophysicist remains optimistic for Arctic ozone layer despite huge hole

April 21 2020

---



Geophysicist Dr Byongjun (Phil) Hwang (inset) is pictured on the left with fellow scientists in the Arctic. Credit: University of Huddersfield

A University of Huddersfield scientist is scheduled to head back to the Arctic, where he is an experienced researcher of changes in its ice fields and their impact on climate change.

But [as he prepares to return](#) to the region, Dr. Byongjun (Phil) Hwang

has been absorbing news of a fresh development—a rare, unusually [large hole in the ozone layer](#) has been observed in the stratosphere above the North Pole.

"It is not directly relevant to my work, but could maybe have an indirect impact," said Dr. Hwang, who is a geophysicist specializing in the dynamics of snow and ice in the Arctic.

He has already paid some 15 visits to the region, and the latest is due to be a July-to-September stint aboard the research vessel Polarstern. He leads a work package that is part of the multi-national project named MOSAiC—standing for Multidisciplinary drifting Observatory for the Study of Arctic Climate.

Dr. Hwang will use sea ice buoys equipped with special sensors to gain a greater understanding on seasonal ice floes, and this will in turn help to create better models to understand and predict climate change.

The new dimension to Polar research came when scientists using data from the European Space Agency's Copernicus Sentinel-5P satellite noticed a strong reduction of [ozone](#) concentrations over the Arctic.

"Unusual atmospheric conditions, including freezing temperatures in the stratosphere, have led [ozone levels](#) to plummet, causing a 'mini-hole' in the [ozone layer](#)," stated the official announcement from the Agency.

The ozone layer is a natural, protective layer of gas in the stratosphere that shields life from the Sun's harmful ultraviolet radiation. Normally, the "ozone hole" that causes most concern is usually the one situated over Antarctica, forming each year during autumn.

There have in the past been mini ozone holes spotted over the North Pole, but the depletion over the Arctic this year is much larger compared

to previous years.

It is being caused by a cooling down in the stratosphere above the Arctic, said Dr. Hwang. It is not fully clear why this is happening, he added, although there is a range of theories. One is that as the temperature of the sea in the North Pacific warms up, this actually has the effect of creating a cooling in the stratosphere in the Arctic.

"Another theory is that when the ozone depletes this actually promotes cooling in the upper atmosphere because the ozone absorbs a lot of sunlight, so the less ozone the more cooling down."

Scientists expect that that the Arctic ozone hole will soon close again and, continued Dr. Hwang, factors such as the reduction in the use of chlorofluorocarbons (CFCs) probably mean that well before the end of the century the ozone layer will have fully recovered.

Meanwhile, his plan is to fly to Norway in July and then, travel aboard an icebreaker, to the [research vessel](#) Polarstern. The Polarstern has been deliberately frozen into the Arctic ice and allowed to drift, thus enabling the scientists to undertake their research.

The COVID-19 crisis has inevitably had an effect on the project, and Dr. Hwang will need to undergo a medical examination—currently difficult to procure in the UK—before he travels. However, he is still optimistic that his research can go ahead on schedule.

Provided by University of Huddersfield

Citation: Geophysicist remains optimistic for Arctic ozone layer despite huge hole (2020, April 21) retrieved 25 April 2024 from <https://phys.org/news/2020-04-geophysicist-optimistic-arctic-ozone-layer.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.