

# Great white shark diet surprises scientists

7 June 2020



GoPro image of a great white shark off east Australian coast at Evans Head, New South Wales. Credit: Richard Grainger/University of Sydney

The first-ever detailed study of the diets of great white sharks off the east Australian coast reveals this apex predator spends more time feeding close to the seabed than expected.

"Within the sharks' stomachs we found remains from a variety of fish species that typically live on the seafloor or buried in the sand. This indicates the sharks must spend a good portion of their time foraging just above the seabed," said lead author Richard Grainger, a Ph.D. candidate at the Charles Perkins Centre and School of Life and Environmental Sciences at the University of Sydney.

"The stereotype of a shark's dorsal fin above the surface as it hunts is probably not a very accurate

picture," he said.

The study, published today on World Oceans Day in the journal *Frontiers in Marine Science*, is an important contribution towards understanding the sharks' feeding and migratory habits.

Dr. Vic Peddemors a co-author from the NSW Department of Primary Industries (Fisheries), said: "We discovered that although mid-water fish, especially eastern Australian salmon, were the predominant prey for juvenile white sharks in NSW, stomach contents highlighted that these sharks also feed at or near the seabed."

Mr Grainger said: "This evidence matches data we have from tagging white sharks that shows them spending a lot of time many meters below the surface."

The study examined the stomach contents of 40 juvenile white sharks (*Carcharodon carcharias*) caught in the NSW Shark Meshing Program. The scientists compared this with published data elsewhere in the world, mainly South Africa, to establish a nutritional framework for the species.



Lead author Richard Grainger examining contents of a white shark's stomach at the Sydney Institute of Marine Science. Credit: University of Sydney


"Understanding the nutritional goals of these cryptic predators and how these relate to [migration patterns](#) will give insights into what drives human-shark conflict and how we can best protect this species," said Dr. Gabriel Machovsky-Capuska, an adjunct Senior Research Fellow at the Charles Perkins Centre and a co-author of the study.

Mr Grainger said: "White sharks have a varied diet. As well as east Australian salmon, we found evidence of other bony fish including eels, whiting, mullet and wrasses. We found that rays were also an important dietary component, including small bottom-dwelling stingrays and electric rays.

"Eagle rays are also hunted, although this can be difficult for the sharks given how fast the rays can swim."

The study found that based on abundance, the sharks' diet relied mostly on:

- Pelagic, or mid-water ocean swimming fish, such as Australian salmon: 32.2%
- Bottom-dwelling fish, such as stargazers, sole or flathead: 17.4%
- Reef fish, such as eastern blue gropers: 5.0%
- Batoid fish, such as stingrays: 14.9%



Great white shark swimming of east Australian coast taken from a helicopter. Credit: Ryan Montgomery/Aerologistics Helicopters

The remainder was unidentified [fish](#) or less abundant prey. Mr Grainger said that marine mammals, other sharks and cephalopods (squid and cuttlefish) were eaten less frequently.

"The hunting of bigger prey, including other sharks and marine mammals such as dolphin, is not likely to happen until the sharks reach about 2.2 meters in length," Mr Grainger said.

The scientists also found that larger sharks tended to have a diet that was higher in fat, likely due to their high energy needs for migration.

"This fits with a lot of other research we've done showing that wild animals, including predators, select diets precisely balanced to meet their nutrient needs," said co-author Professor David Raubenheimer, Chair of Nutritional Ecology in the School of Life and Environmental Sciences.

Tracking of white sharks shows that they migrate seasonally along Australia's east coast from southern Queensland to northern Tasmania, and the range of movement increases with age.

Protecting this species and safely managing its interactions with humans is a priority for scientists and the NSW Department of Primary Industries.

"This study will give us a lot of information to assist in this management process," Dr. Peddemors said.

**More information:** Richard Grainger et al, Diet Composition and Nutritional Niche Breadth Variability in Juvenile White Sharks (*Carcharodon carcharias*), *Frontiers in Marine Science* (2020). [DOI: 10.3389/fmars.2020.00422](https://doi.org/10.3389/fmars.2020.00422)

Provided by University of Sydney

APA citation: Great white shark diet surprises scientists (2020, June 7) retrieved 4 March 2021 from <https://phys.org/news/2020-06-great-white-shark-diet-scientists.html>

*This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.*