

Amber fossils unlock true color of 99-million-year-old insects

June 30 2020



Diverse structural-colored insects in mid-Cretaceous amber from northern Myanmar. Credit: NIGPAS

Nature is full of colors, from the radiant shine of a peacock's feathers or the bright warning coloration of toxic frogs to the pearl-white camouflage of polar bears.


Usually, fine structural detail necessary for the conservation of color is rarely preserved in the [fossil record](#), making most reconstructions of the [fossil](#) dependent upon an artist's imagination.

A research team from the Nanjing Institute of Geology and Palaeontology of the Chinese Academy of Sciences (NIGPAS) has now unlocked the secrets of true coloration in 99-million-year-old insects.

Colors offer many clues about the behavior and ecology of animals. They function to keep organisms safe from predators, at the right temperature, or attractive to potential mates. Understanding the coloration of long-extinct animals can help us shed light on ecosystems in the deep geological past.

The study, published in *Proceedings of the Royal Society B* on July 1, offers a new perspective on the often overlooked, but by no means dull, lives of insects that co-existed alongside dinosaurs in Cretaceous rainforests.

Researchers gathered a treasure trove of 35 amber pieces with exquisitely preserved insects from an amber mine in northern Myanmar.



Comparisons between original and altered metallic colors in cleptine wasps.
Credit: NIGPAS

"The amber is mid-Cretaceous, approximately 99 million years old, dating back to the golden age of dinosaurs. It is essentially resin produced by ancient coniferous trees that grew in a tropical rainforest environment. Animals and plants trapped in the thick resin got preserved, some with life-like fidelity," said Dr. Cai Chenyang, associate professor at NIGPAS who lead the study.

The rare set of amber fossils includes cuckoo wasps with metallic bluish-green, yellowish-green, purplish-blue or green [colors](#) on the head, thorax, abdomen, and legs. In terms of color, they are almost the same as cuckoo wasps that live today, said Dr. Cai.

The researchers also discovered blue and purple beetle specimens and a metallic dark-green soldier fly. "We have seen thousands of amber

fossils but the preservation of color in these specimens is extraordinary," said Prof. Huang Diying from NIGPAS, a co-author of the study.

"The type of color preserved in the amber fossils is called structural color. It is caused by microscopic structure of the animal's surface. The surface nanostructure scatters light of specific wavelengths and produces very intense colors. This mechanism is responsible for many of the colors we know from our everyday lives," explained Prof. Pan Yanhong from NIGPAS, a specialist on palaeocolor reconstruction.

To understand how and why color is preserved in some amber fossils but not in others, and whether the colors seen in fossils are the same as the ones insects paraded more than 99 million years ago, the researchers used a diamond knife blades to cut through the exoskeleton of two of the colorful amber wasps and a sample of normal dull cuticle.

Using [electron microscopy](#), they were able to show that colorful amber fossils have a well-preserved exoskeleton nanostructure that scatters light. The unaltered nanostructure of colored insects suggested that the colors preserved in amber may be the same as the ones displayed by them in the Cretaceous. But in fossils that do not preserve color, the cuticular structures are badly damaged, explaining their brown-black appearance.

What kind of information can we learn about the lives of ancient insects from their color?

Extant cuckoo wasps are, as their name suggests, parasites that lay their eggs into the nests of unrelated bees and wasps. Structural coloration has been shown to serve as camouflage in insects, and so it is probable that the color of Cretaceous cuckoo wasps represented an adaptation to avoid detection. "At the moment we also cannot rule out the possibility that the colors played other roles besides camouflage, such as thermoregulation,"

adds Dr. Cai.

More information: Structural colours in diverse Mesozoic insects, *Proceedings of the Royal Society B* (2020). [rspb.royalsocietypublishing.org... .1098/rspb.2020.0301](https://royalsocietypublishing.org/doi/10.1098/rspb.2020.0301)

Provided by Chinese Academy of Sciences

Citation: Amber fossils unlock true color of 99-million-year-old insects (2020, June 30) retrieved 26 April 2024 from <https://phys.org/news/2020-06-amber-fossils-true-million-year-old-insects.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.