

# Are hurricanes strengthening more rapidly?

31 August 2020, by Chris Slocum



Hurricane Laura intensified quickly over the Gulf of Mexico before making landfall on Aug. 27, 2020. Credit: [CSU/CIRA and NOAA/NESDIS](#), [CC BY-ND](#)

Hurricane Laura blew up quickly as it headed for the Louisiana coast, intensifying from a tropical storm to a major hurricane in less than 24 hours. By the time it made it landfall, it was a powerful Category 4 hurricane with 150 mile-per-hour winds.

The Atlantic has seen several hurricanes rapidly intensify like this in recent years.

In 2018, Hurricane Michael unexpectedly jumped from Category 2 to Category 5 in the span of a day before hitting the Florida Panhandle. Hurricanes Harvey, Irma and Maria in 2017 also met the definition of rapid [intensification](#): an increase of at least [35 miles per hour in a 24-hour period](#). Based on preliminary reports from the [National Hurricane Center](#), Laura gained 65 mph in one 24-hour period and, more impressively, added 80 mph from Aug. 25 to Aug. 27.

But do all these fast-growing, powerful storms in recent years mean rapid intensification is becoming more common?

With information about hurricanes coming through social media and phone apps, that's a question [hurricane scientists like myself](#) are hearing a lot.

It's useful to consider a few things: the history of U.S. hurricanes, why the Atlantic is currently so active, and the ingredients that allow storms to strengthen so quickly.

## What makes storms blow up?

Just as a pastry chef needs all the ingredients to successfully make a cake, storms like Laura need [favorable conditions](#) to be able to form and rapidly intensify.

Three key ingredients help a hurricane rapidly intensify:

- Warm ocean waters. Hurricanes draw energy from warm surface water, particularly when it's at least 80 degrees Fahrenheit or warmer.
- Ample moisture, or water content in the atmosphere, to maintain clouds.
- Low [vertical wind shear](#). This is a measure of how the [wind](#) changes speed and direction with height in the atmosphere. High wind shear will disrupt the clouds, making it hard for the [storm](#) to stay together.

When all of these ingredients are present, vigorous thunderstorms can form and organize, allowing a robust eyewall to develop. Large-scale changes in ocean temperature, like the [El Niño–Southern Oscillation](#) and the [Atlantic Multidecadal Oscillation](#), can also have an impact on hurricane activity.

Because these ingredients change, the Atlantic hurricane season varies year to year. This year, as the seasonal forecasts created by [Colorado State University](#) and the [National Oceanic and Atmospheric Administration](#) warned, the ingredients are favorable for an [active season](#) with more major hurricanes. A review of storms from 1981 to 2012 found that [70% of major Atlantic hurricanes](#) – those reaching Category 3 or higher—had gone through rapid intensification.

## Why don't all storms grow this quickly?

Just having the right water temperature and moisture won't ensure that storms will undergo rapid intensification or become major hurricanes.

We saw that with Hurricane Marco. It swept through the Gulf of Mexico just ahead of Hurricane Laura but weakened to a [tropical storm](#) before landfall.

A big difference was the wind shear. The thunderstorms powering Marco's core struggled to stay connected to its circulation as high wind shear in the Gulf of Mexico stripped them away.

When then-Tropical Storm Laura passed over Cuba into the Gulf, the high wind shear conditions had receded, leaving nothing but a favorable environment for Laura to develop catastrophic winds and a dangerous storm surge.

As with ice skaters who pull their arms in during a spin to rotate faster, the thunderstorms of Laura's eyewall pulled in the atmosphere around the storm, causing the winds to accelerate into a high-end Category 4 storm. While there are additional complexities to this process, a theoretical framework for intensification that [I further developed with colleagues](#) highlights how the location of eyewall thunderstorms relative to the storm's maximum winds triggers rapid intensification. This theory has been supported by eyewall observations collected during ["hurricane hunter" flights](#).

## So, are these events becoming more common?

This is a challenging question and an active topic of research.

Because rapidly intensifying hurricanes are fairly rare, there isn't enough information yet to say if rapid intensification is happening more often. The [hurricane research community](#) has consistent, reliable observations of storm intensity only since the start of the satellite era and routine storm-penetrating "hurricane hunter" flights since the 1970s.

We have seen more rapid intensification events in

recent years, and [some scientists have concluded](#) that the warming climate is likely playing a role. However, we've also had more active hurricane seasons in those years, and more work needs to be done in this area to understand global trends, such as why hurricanes are [crossing ocean basins more slowly](#).

To try to answer this puzzle, [hurricane](#) researchers are using historical records to help refine mathematical theories and [computer simulations](#) of storms to better understand rapid intensification. The [new knowledge](#) will continue to [improve forecast guidance](#) and lead to a better understanding of how [hurricanes will change](#) in an evolving climate system.

This article is republished from [The Conversation](#) under a Creative Commons license. Read the [original article](#).

Provided by The Conversation

APA citation: Are hurricanes strengthening more rapidly? (2020, August 31) retrieved 18 January 2021 from <https://phys.org/news/2020-08-hurricanes-rapidly.html>

*This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.*