


Planet collision simulations give clues to atmospheric loss from moon's origin

September 29 2020



Cross-section snapshots of 3D simulations of giant impacts using 30 to 100 million particles, coloured by their material or their internal energy, related to

their temperature. Credit: Jacob Kegerreis, Durham University

Earth could have lost anywhere between ten and 60 percent of its atmosphere in the collision that is thought to have formed the Moon.

New research led by Durham University, UK, shows how the extent of atmospheric loss depends upon the type of giant impact with the Earth.

Researchers ran more than 300 [supercomputer simulations](#) to study the consequences that different huge collisions have on [rocky planets](#) with thin atmospheres.

Their findings have led to the development of a new way to predict the atmospheric loss from any collision across a wide range of rocky planet impacts that could be used by scientists who are investigating the Moon's origins or other giant impacts.

They also found that slow giant impacts between young [planets](#) and massive objects could add significant [atmosphere](#) to a planet if the impactor also has a lot of atmosphere.

The findings are published in the *Astrophysical Journal Letters*.

The Moon is believed to have formed about 4.5 billion years ago following a collision between the early Earth and a giant impactor possibly the size of Mars.

Research lead author Dr. Jacob Kegerreis, in the Institute for Computational Cosmology, Durham University, said: "The puzzle about how the Moon formed and the other consequences of a giant collision with the early Earth is something that scientists are working hard to

unravel.

"We ran hundreds of different scenarios for many different colliding planets, showing the varying impacts and effects on a planet's atmosphere depending upon a number of factors such as the angle, speed of impact or the sizes of the planets.

"While these computer simulations don't directly tell us how the Moon came to be, the effects on the Earth's atmosphere could be used to narrow down the different ways it might have been formed and lead us closer to understanding the origin of our nearest celestial neighbor."

Earlier this year, an initial study by Durham University reported that giant impacts which dominate the late stages of planet formation can have a wide range of consequences for young planets and their atmospheres.

That study examined the ways that thin atmospheres could be removed by objects impacting at different angles and speeds.

The researchers' latest paper looks at the effects across a much wider variety of impacts adjusting for size, mass, speed and angle of the impacting object. They also changed the density of the impactor and if it was made of iron, rock or both.

The simulations revealed the different outcomes when one or more of these variables are changed, leading to atmospheric loss or gain, or sometimes the complete obliteration of the impacted planet.

The research team also included scientists at the BAERI/NASA Ames Research Centre and the University of Washington, U.S., and the University of Glasgow, UK.

Co-author Dr. Luis Teodoro, in the School of Physics and Astronomy, University of Glasgow, and the BAERI/NASA Ames Research Centre, said: "This major suite of planetary simulations also sheds light on the role of impacts in the evolution earth like exoplanets."

More information: Atmospheric Erosion by Giant Impacts onto Terrestrial Planets: A Scaling Law for any Speed, Angle, Mass, and Density, Kegerreis J, et al, will be published in *The Astrophysical Journal Letters*, [DOI: 10.3847/2041-8213/abb5fb](https://doi.org/10.3847/2041-8213/abb5fb)

Provided by Durham University

Citation: Planet collision simulations give clues to atmospheric loss from moon's origin (2020, September 29) retrieved 21 September 2024 from <https://phys.org/news/2020-09-planet-collision-simulations-clues-atmospheric.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.