


# Amazon study shows big conservation gains possible for imperilled freshwater ecosystems

October 1 2020

---



Flona Tapajós, Pará, Brasil. Credit: Marizilda Cruppe - Rede Amazônia Sustentável

A new study by an international team of environmental scientists in the Brazilian Amazon shows that redesigned conservation projects could deliver big gains for critical freshwater ecosystems—raising hopes for the futures of thousands of species.

Although occupying less than one percent of the Earth's surface, fresh water hosts around a tenth of all known [species](#)—including a third of all vertebrates.

They are also vital for regulating climates, and as a source of food and fuel for local people.

Despite their critical nature, freshwater ecosystems are far more imperiled than their land and marine counter-parts.

Over the last 50 years, populations of freshwater vertebrates have plummeted by 83 percent—more than twice the fall of terrestrial and marine vertebrates, which have declined by around 40 percent over the same period.

This dramatic fall in freshwater biodiversity has been caused through a mixture of human-driven factors including: habitat loss and degradation; over-exploitation and over-fishing; algal blooms; dam building; and the introduction of non-[native species](#). These pressures are now being amplified by additional stresses such as climate change, microplastics and biochemical pollution.

New conservation measures are urgently needed globally to help address the plight of freshwater ecosystems, and the species that live in them. Yet, despite all this, ecosystems on land have gained much more attention from conservation scientists than [freshwater ecosystems](#).



*Zenithoptera lanei*. Credit: Victor Rennan

Published in the journal *Science*, the new study assessed more than 1,500 freshwater and land species in the Brazilian Amazon. The major groups of freshwater species they scientists looked at included fish, dragonflies, mayfly, stoneflies and caddisflies. They also looked at land species including plants, birds and dung beetles.

The research, undertaken by the Sustainable Amazon Network—a research collaboration involving scientists from Brazil, Europe, U.S. and Australia—looked at how well freshwater species are protected through [conservation efforts](#) directed at land species.

Co-lead author Dr. Cecilia Gontijo Leal from the University of São Paulo explained: "Conservation projects generally focus on protecting species that live on land. If freshwater species are considered at all, it is simply assumed that they will be protected incidentally—that is, by chance, as a result of efforts to conserve land species. However, we show that land-based conservation initiatives are likely to protect just 20% of the freshwater species that would have been protected through freshwater-focused conservation. To address the freshwater biodiversity crisis, freshwater species need to be explicitly incorporated into conservation planning."

The researchers then considered how much freshwater protection could be increased through conservation actions that simultaneously considered both freshwater and land species.

They found that conservation efforts with increased focus on freshwater environments could deliver big positive gains for these ecosystems, without adversely affecting ecosystems on land.

Co-lead author Dr. Gareth Lennox from Lancaster University said: "Through integrated planning that incorporates information on both freshwater and land species, we found that protection of freshwater species can be increased by up to 600% with no reduction in land species protection. This presents a great opportunity for conservation, where protection for one species group does not require either losses of protection for others or significant funding increases."



Hyphessobrycon agulha. Credit: Rafael Leitão

The study also addressed the challenge of how to put this into practice. Land species have generally been the focus of conservation efforts, therefore information on the distribution of freshwater species is lacking in many places, especially in tropical regions where most species are found. This poses a problem for conservation planning: how do you protect species if you don't know where they are?

The researchers developed a new method for protecting freshwater species in these circumstances. Professor Silvio Ferraz from the University of São Paulo explained: "Freshwater species crucially depend on the connectivity of river systems. By designing conservation reserve

networks that take such connectivity into consideration, we found that freshwater protection could still be doubled in the absence of species distribution data. This shows that there are few impediments to vastly improving freshwater conservation in data-poor regions of the world."

Professor Jos Barlow from Lancaster University summed up the implications of the study: "The urgency of the biodiversity crisis now facing humanity means that we can no longer overlook the many important and endangered species that inhabit freshwaters. Our findings show that conservation that thinks across ecosystems and habitats can provide substantially improved outcomes compared to more narrowly focused efforts."

Although the study did not address specific conservation methods for freshwater or [terrestrial species](#), it can be used as a guide to identify priority areas elsewhere, which will inform the development and deployment of the most suitable conservation methods.

The research is outlined in the paper "Integrated terrestrial-freshwater planning doubles [conservation](#) of tropical aquatic species."

**More information:** C.G. Leal et al., "Integrated terrestrial-freshwater planning doubles conservation of tropical aquatic species," *Science* (2020). [science.sciencemag.org/lookup/.../1126/science.aba7580](https://science.sciencemag.org/lookup/.../1126/science.aba7580)

R. Abell et al., "A boost for freshwater conservation," *Science* (2020). [science.sciencemag.org/cgi/doi/.../1126/science.abe3887](https://science.sciencemag.org/cgi/doi/.../1126/science.abe3887)

Provided by Lancaster University

Citation: Amazon study shows big conservation gains possible for imperilled freshwater

ecosystems (2020, October 1) retrieved 24 April 2024 from  
<https://phys.org/news/2020-10-amazon-big-gains-imperilled-freshwater.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.