


Nanomaterial acts as a molecular thermometer

12 October 2020



This SEM image shows an as-prepared lamellar membrane out of MXene before exposure to water/light/heat. Credit: KAUST 2020


A layered material developed by KAUST researchers can act as a precise temperature sensor by exploiting the same principle used in biological ion channels.

Human cells possess various proteins that act as channels for charged ions. In the skin, certain [ion channels](#) rely on heat to drive a flow of ions that generates [electrical signals](#), which we use to sense the temperature of our surroundings.

Inspired by these biological sensors, KAUST researchers prepared a titanium carbide compound ($\text{Ti}_3\text{C}_2\text{T}_x$) known as an MXene, which contains multiple layers just a few atoms thick. Each layer is covered with negatively charged atoms, such as oxygen or fluorine. "These groups act as spacers to keep neighboring nanosheets apart, allowing [water molecules](#) to enter the interplanar channels," says KAUST postdoc Seunghyun Hong, part of the team behind the new temperature sensor. The channels between the MXene layers are narrower than a single nanometer.

The researchers used techniques, such as X-ray diffraction and scanning [electron microscopy](#), to

investigate their MXene, and they found that adding water to the material slightly widened the channels between layers. When the material touched a solution of potassium chloride, these channels were large enough to allow positive [potassium ions](#) to move through the MXene, but blocked the passage of negative chloride ions.



A temperature difference between two ends of an MXene nanochannel causes water and potassium ions to flow from the cool side to the warm side (top). When sunlight heats just one part of an MXene device, a thermo-osmotic flow generates a voltage that can indicate tiny temperature changes (bottom). Credit: ACS Nano; Alshareef, H.N. et al.

The team created a small device containing the MXene and exposed one end of it to sunlight. MXenes are particularly efficient at absorbing sunlight and converting that energy into heat. The resulting temperature rise prompted water molecules and potassium ions to flow through the nanochannels from the cooler end to the warmer part, an effect known as thermo-osmotic flow. This caused a voltage change comparable to that seen in biological temperature-sensing ion channels. As a result, the device could reliably sense temperature changes of less than one degree Celsius.

Decreasing the salinity of the potassium chloride solution improved the performance of the device, in part by further enhancing the channel's selectivity for potassium ions.

As the researchers increased the intensity of light shining on the material, its temperature rose at the same rate, as did the ion-transporting response. This suggests that along with acting as a temperature sensor the material could also be used to measure light intensity.

The work was a result of collaboration between the groups of KAUST professors Husam Alshareef and Peng Wang. "We envision that the MXene cation channels have promise for many potential applications, including temperature sensing, photodetection or photothermoelectric energy harvesting," says Alshareef, who co-led the team.

More information: Seunghyun Hong et al. Photothermoelectric Response of $\text{Ti}_3\text{C}_2\text{T}_x$ MXene Confined Ion Channels, *ACS Nano* (2020). [DOI: 10.1021/acsnano.0c04099](https://doi.org/10.1021/acsnano.0c04099)

Provided by King Abdullah University of Science and Technology

APA citation: Nanomaterial acts as a molecular thermometer (2020, October 12) retrieved 30 November 2020 from <https://phys.org/news/2020-10-nanomaterial-molecular-thermometer.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.