


Einstein's theory of relativity, critical for GPS, seen in distant stars

22 October 2020



The intriguing system known as 4U 1916-053 contains two stars in a remarkably close orbit. One is the core of a star that has had its outer layers stripped away, leaving a star that is much denser than the Sun. The other is a neutron star, an even denser object created when a massive star collapses in a supernova explosion. The neutron star (grey) is shown in this artist's impression at the center of a disk of hot gas pulled away from its companion (white star on left). Credit: Spectrum: NASA/CXC/University of Michigan/N. Trueba et al.; Illustration: NASA/CXC/M. Weiss

What do Albert Einstein, the Global Positioning System (GPS), and a pair of stars 200,000 trillion miles from Earth have in common?

The answer is an effect from Einstein's General Theory of Relativity called the "[gravitational redshift](#)," where light is shifted to redder colors because of gravity. Using NASA's Chandra X-ray Observatory, astronomers have discovered the phenomenon in two [stars](#) orbiting each other in our galaxy about 29,000 [light years](#) (200,000 trillion miles) away from Earth. While these stars are very distant, gravitational redshifts have tangible impacts on modern life, as scientists and engineers must take them into account to enable accurate positions for GPS.

While scientists have found incontrovertible evidence of gravitational redshifts in our solar system, it has been challenging to observe them in more distant objects across space. The new Chandra results provide convincing evidence for gravitational redshift effects at play in a new cosmic setting.

The intriguing system known as 4U 1916-053 contains two stars in a remarkably close orbit. One is the core of a star that has had its outer layers stripped away, leaving a star that is much denser than the Sun. The other is a neutron star, an even denser object created when a massive star collapses in a supernova explosion. The neutron star (grey) is shown in this artist's impression at the center of a disk of hot gas pulled away from its companion (white star on left).

These two compact stars are only about 215,000 miles apart, roughly the distance between the Earth and the Moon. While the Moon orbits our planet once a month, the dense companion star in 4U 1916-053 whips around the neutron star and completes a full orbit in only 50 minutes.

In the new work on 4U 1916-053, the team analyzed X-ray spectra—that is, the amounts of X-rays at different wavelengths—from Chandra. They found the characteristic signature of the absorption of X-ray light by iron and silicon in the spectra. In three separate observations with Chandra, the data show a sharp drop in the detected amount of X-rays close to the wavelengths where the iron or silicon atoms are expected to absorb the X-rays. One of the spectra showing absorption by iron—the dips on the left and right—is included in the main graphic. An additional graphic shows a spectrum with absorption by silicon. In both spectra the data are shown in grey and a computer model in red.


However, the wavelengths of these characteristic signatures of iron and silicon were shifted to longer, or redder wavelengths compared to the laboratory

values found here on Earth (shown with the blue, vertical line for each absorption signature). The researchers found that the shift of the absorption features was the same in each of the three Chandra observations, and that it was too large to be explained by motion away from us. Instead they concluded it was caused by gravitational redshift.

How does this connect with General Relativity and GPS? As predicted by Einstein's theory, clocks under the force of gravity run at a slower rate than clocks viewed from a distant region experiencing weaker gravity. This means that clocks on Earth observed from orbiting satellites run at a slower rate. To have the high precision needed for GPS, this effect needs to be taken into account or there will be small differences in time that would add up quickly, calculating inaccurate positions.

All types of light, including X-rays, are also affected by gravity. An analogy is that of a person running up an escalator that is going down. As they do this, the person loses more energy than if the escalator was stationary or going up. The force of gravity has a similar effect on light, where a loss in energy gives a lower frequency. Because light in a vacuum always travels at the same speed, the loss of energy and lower frequency means that the light, including the signatures of iron and silicon, shift to longer wavelengths.

This is the first strong evidence for absorption signatures being shifted to longer wavelengths by gravity in a pair of stars that has either a neutron star or black hole. Strong evidence for gravitational redshifts in absorption has previously been observed from the surface of white dwarfs, with wavelength shifts typically only about 15% of that for 4U 1916-053.



Scientists using Chandra data have found evidence for an effect predicted by Einstein called gravitational

redshift in a pair of orbiting stars across the Galaxy. Previously, astronomers found incontrovertible evidence for this phenomenon in our Solar System, but it has been challenging to observe it in more distant objects. The Chandra data show this effect in the spectra, or amounts of X-rays across wavelengths of 4U 1916-053. Shifts of the signatures of iron and silicon are seen. This system contains a neutron star and companion star in a remarkably close orbit. Credit: NASA/CXC/University of Michigan/N. Trueba et al.

Scientists say it is likely that a gaseous atmosphere blanketing the disk near the neutron star (shown in blue) absorbed the X-rays, producing these results. (This atmosphere is unrelated to the bulge of red gas in the outer part of the disk that blocks light from the inner part of the disk once per orbit.) The size of the shift in the spectra allowed the team to calculate how far this atmosphere is away from the neutron star, using General Relativity and assuming a standard mass for the neutron star. They found that the atmosphere is located 1,500 miles from the neutron star, about half the distance from Los Angeles to New York and equivalent to only 0.7% of the distance from the neutron star to the companion. It likely extends over several hundred miles from the neutron star.

In two of the three spectra there is also evidence for absorption signatures that have been shifted to even redder wavelengths, corresponding to a distance of only 0.04% of the distance from the neutron star to the companion. However, these signatures are detected with less confidence than the ones further away from the [neutron](#) star.

Scientists have been awarded further Chandra observation time in the upcoming year to study this system in more detail.

A paper describing these results was published in the August 10th, 2020 issue of *The Astrophysical Journal*.

More information: Nicolas Trueba et al. A Redshifted Inner Disk Atmosphere and Transient Absorbers in the Ultracompact Neutron Star X-Ray Binary 4U 1916–053, *The Astrophysical Journal* (2020). DOI: [10.3847/2041-8213/aba9de](https://doi.org/10.3847/2041-8213/aba9de) ,

arxiv.org/abs/2008.01083

Provided by Chandra X-ray Center

APA citation: Einstein's theory of relativity, critical for GPS, seen in distant stars (2020, October 22)
retrieved 16 January 2021 from <https://phys.org/news/2020-10-einstein-theory-relativity-critical-gps.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.