


# Researchers demonstrate a superconductor previously thought impossible

November 6 2020



Polarized light images show researchers how electrons, represented by red crosses, in their test samples behave under different circumstances. Credit: © 2020 Okazaki et al.


Superconductivity is a phenomenon in which an electric circuit loses its resistance and becomes extremely efficient under certain conditions. There are different ways in which this can happen, which were thought to be incompatible. For the first time, researchers have discovered a bridge between two of these methods to achieve superconductivity. This new knowledge could lead to a more general understanding of the

phenomenon, and one day to applications.

There are three well-known states of matter: solid, liquid and gas. There is a fourth state of matter called plasma, which is like a gas that got so hot all its constituent atoms came apart, leaving behind a super-hot mess of subatomic particles. But there is a fifth state of matter at the complete opposite end of the thermometer known as a Bose-Einstein condensate (BEC).

"A BEC is a unique state of matter as it is not made from particles, but rather waves," said Associate Professor Kozo Okazaki from the Institute for Solid State Physics at the University of Tokyo. "As they cool down to near absolute zero, the atoms of certain materials become smeared out over space. This smearing increases until the atoms—now more like waves than particles—overlap, becoming indistinguishable from one another. The resulting matter behaves like it's one single entity with new properties the preceding solid, liquid or gas states lacked, such as superconduction. Until recently superconducting BECs were purely theoretical, but we have now demonstrated this in the lab with a novel material based on iron and selenium (a nonmetallic element)."

This is the first time a BEC has been experimentally verified to work as a superconductor; however, other manifestations of matter, or regimes, can also give rise to superconduction. The Bardeen-Cooper-Shrieffer (BCS) regime is an arrangement of matter such that when cooled to near absolute zero, the constituent atoms slow down and line up, which allows electrons to pass through more easily. This effectively brings the electrical resistance of such materials to zero. Both BCS and BEC require freezing-cold conditions and both involve atoms slowing down. But these regimes are otherwise quite different. For a long time, researchers have believed that a more general understanding of superconduction could be reached if these regimes could be found to overlap in some way.



These colorful lines aren't just for show, they tell researchers below which temperature, in this case about 10 kelvins, a sample exhibits superconducting behavior. Credit: © 2020 Okazaki et al.

"Demonstrating the superconductivity of BECs was a means to an end; we were really hoping to explore the overlap between BECs and BCSs," said Okazaki. "It was extremely challenging but our unique apparatus and method of observation has verified it—there is a smooth transition between these regimes. And this hints at a more general underlying theory behind superconduction. It is an exciting time to be working in this field."

Okazaki and his team used the method of ultralow-temperature and high-energy resolution laser-based [photoemission spectroscopy](#) to observe the way electrons behaved during a material's transition from BCS to BEC. Electrons behave differently in the two regimes and the change between them helps fill some gaps in the bigger picture of superconduction.

Superconduction is not just a laboratory curiosity though; superconducting devices such as electromagnets are used in applications already, the Large Hadron Collider, the world's largest particle accelerator, being one such example. However, as explained above, these require ultracold temperatures which prohibit the development of superconducting devices we might expect to see every day. So it's no surprise there is great interest in finding ways to form superconductors at higher temperatures, perhaps one day even room temperature.

"With conclusive evidence of superconducting BECs, I think it will prompt other researchers to explore superconduction at higher and higher temperatures," said Okazaki. "It may sound like science fiction for now, but if superconduction can occur near room temperature, our ability to produce energy would greatly increase, and our energy needs would decrease."

**More information:** Hashimoto et al., Bose-Einstein condensation superconductivity induced by disappearance of the nematic state. *Science Advances* (2020). DOI: [10.1126/sciadv.abb9052](https://doi.org/10.1126/sciadv.abb9052)

Provided by University of Tokyo

Citation: Researchers demonstrate a superconductor previously thought impossible (2020, November 6) retrieved 21 September 2024 from <https://phys.org/news/2020-11-superconductor-previously-thought-impossible.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.