



Early COVID-19 lockdowns had less impact on urban air quality than first believed

January 13 2021

COVID-19 lockdowns had less impact on urban air quality than first believed



Observed vs real change in ozone (O₃) and nitrogen dioxide (NO₂) concentrations during lockdowns in selected cities



Observed vs. real changes in urban air quality and concentrations of ozone and nitrogen dioxide during lockdowns in selected cities. Credit: University of Birmingham

The first COVID-19 lockdowns led to significant changes in urban air pollution levels around the world, but the changes were smaller than

expected—a new study reveals.

After developing new corrections for the impact of weather and seasonal trends, such as reduced NO₂ emissions from winter to summer, the researchers evaluated changes in ambient NO₂, O₃ and fine particle (PM_{2.5}) concentrations arising from lockdown emission changes in 11 [global cities](#): Beijing, Wuhan, Milan, Rome, Madrid, London, Paris, Berlin, New York, Los Angeles and Delhi.

Led by experts at the University of Birmingham, the international team of scientists discovered that the beneficial reductions in NO₂ due to the lockdowns were smaller than expected, after removing the effects of weather. In parallel, the lockdowns caused (weather-corrected) concentrations of ozone in cities to increase.

NO₂ is a key air pollutant from traffic emissions, associated with respiratory problems, while ozone is also harmful to health, and damages crops.

Publishing their findings today in *Science Advances*, the research team also reveals that concentrations of PM_{2.5}, which can worsen medical conditions such as asthma and heart disease, decreased in all cities studied except London and Paris.

Lead-author Zongbo Shi, Professor of Atmospheric Biogeochemistry at the University of Birmingham, commented: "Rapid, unprecedented reduction in [economic activity](#) provided a unique opportunity to study the impact of interventions on [air quality](#). Emission changes associated with the early lockdown restrictions led to abrupt changes in air pollutant levels but their impacts on air quality were more complex than we thought, and smaller than we expected.

"Weather changes can mask changes in emissions on air quality.

Importantly, our study has provided a new framework for assessing air pollution interventions, by separating the effects of weather and season from the effects of emission changes."

Roy Harrison, Queen Elizabeth II Birmingham Centenary Professor of Environmental Health, a co-author, commented: "The reduction in NO₂ will be beneficial for public health—restrictions on activities, particularly traffic, brought an immediate decline in NO₂ in all cities. Had similar levels of restrictions remained in place, annual average NO₂ concentrations would have in most locations complied with WHO air quality guidelines.

William Bloss, Professor of Atmospheric Sciences, who is also a co-author, commented that "We found increases in ozone levels due to lockdown in all the cities studied. This is what we expect from the air chemistry, but this will counteract at least some of the health benefit from NO₂ reductions. The changes in PM_{2.5} differ from city to [city](#). Future mitigation measures require a systematic air pollution control approach towards NO₂, O₃ and PM_{2.5} which is tailored for specific cities, to maximize the overall benefits of air quality changes to human health."

Scientists at Birmingham used machine learning to strip out weather impacts and seasonal trends before analysing the data—site-specific hourly concentrations of key pollutants from December 2015 to May 2020.

Air pollution is the single largest environmental risk to human health globally, contributing to 6.7 million deaths each year. The World Bank estimated that air pollution costs the global economy \$3 trillion.

More information: Z. Shi et al., "Abrupt but smaller than expected changes in surface air quality attributable to COVID-19 lockdowns,"

Science Advances (2021). [advances.sciencemag.org/lookup...
.1126/sciadv.abd6696](https://advances.sciencemag.org/lookup/doi/10.1126/sciadv.abd6696)

Provided by University of Birmingham

Citation: Early COVID-19 lockdowns had less impact on urban air quality than first believed (2021, January 13) retrieved 20 September 2024 from <https://phys.org/news/2021-01-early-covid-lockdowns-impact-urban.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.