


# Producing green hydrogen through the exposure of nanomaterials to sunlight

21 January 2021



View through a window of the interior of an ultra-high vacuum reactor where TiO<sub>2</sub> nanotubes are decorated with CoO nanoparticles. We see the flame (plasma produced by laser ablation) that sputters the CoO to give rise to the formation of its nanoparticles. Credit: Christian Fleury (INRS)


A research team from the Institut National de la Recherche Scientifique (INRS) has joined forces with French researchers from the Institute of Chemistry and Processes for Energy, Environment and Health (ICPEES), a CNRS-University of Strasbourg joint research lab, to pave the way towards the production of green hydrogen. This international team has developed new sunlight-photosensitive-nanostructured electrodes. The results of their research were published in the November 2020 issue of the journal of *Solar Energy Materials and Solar Cells*.

## An energy transition vector

Hydrogen is being considered by several countries of the Organization for Economic Co-operation and Development (OECD) as a key player in the transition towards decarbonized industries and sectors. According to the INRS Professor My Ali El

Khakani, Quebec could strategically position itself in this energy sector of the future. "Thanks to high-performance nanomaterials, we can improve the efficiency of water dissociation to produce hydrogen. This "clean" fuel is becoming increasingly important for the decarbonisation of the heavy-duty trucking and public transportation. For example, buses using hydrogen as a fuel are already in operation in several European countries and in China. These buses emit water instead of greenhouse gases," added the physicist and nanomaterials specialist.

Splitting water molecules into oxygen and hydrogen has long been done by electrolysis. However, industrial electrolyzers are very energy-intensive and require large investments. The INRS and ICPEES researchers were rather inspired by a natural mechanism: photosynthesis. Indeed, they have developed specially engineered and structured electrodes that split water molecules under the sun's light. This is a process known as photocatalysis.



Electron microscopy image (top view) of an array of TiO<sub>2</sub> nanotubes (like honeycomb cells of a bee hive) decorated with cobalt oxide (CoO) nanoparticles (NP). Credit: INRS

### Challenges in the design and fabrication of the nanostructured electrodes

For maximum use of solar energy, the research teams have selected a very abundant and chemically stable material: titanium dioxide (TiO<sub>2</sub>). TiO<sub>2</sub> is a semiconductor known for being photosensitive to UV-light, which accounts only for 5% of the solar irradiance. Researchers have used their expertise in the field to first change the atomic composition of TiO<sub>2</sub> and extend its photosensitivity to visible light. They were able to produce electrodes that can absorb up to 50% of the light emitted by the sun. A significant gain right from the start!

The researchers have then proceeded with the nanostructuring of the [electrode](#) to form a network of TiO<sub>2</sub> nanotubes that resembles a beehive-like structure. This method multiplied the effective surface area of the electrode by a factor of 100,000 or more. "Nanostructuring maximizes the ratio between surface and volume of a material. For example, TiO<sub>2</sub> nanostructures can offer a surface area of up to 50 m<sup>2</sup> per gram. That's the surface area of a mid-size flat!" Professor El Khakani pointed out.

The final step of the electrode elaboration is their "nanodecoration." This process consists of depositing [catalyst nanoparticles](#) on the otherwise infinite network of TiO<sub>2</sub> nanotubes to increase their efficiency of hydrogen production. To achieve this nanodecoration step, the researchers used the laser ablation deposition technique, a field where Professor El Khakani has developed a unique expertise over the last 25 years. The challenge was not only to control the size, dispersion and anchorage of catalyst nanoparticles on the TiO<sub>2</sub> nanotube matrix, but also to find alternatives to the costly iridium and platinum classical catalysts.

This research identified cobalt oxide (CoO), a material that is quite available in Quebec's

underground, as effective co-catalysts for splitting water molecules. A comparison of the two materials showed that CoO nanoparticles enabled a tenfold increase the photocatalytic efficiency of these new nanodecorated electrodes under visible light compared to bare nanotubes.

**More information:** Thomas Favet et al, Comparative study of the photocatalytic effects of pulsed laser deposited CoO and NiO nanoparticles onto TiO<sub>2</sub> nanotubes for the photoelectrochemical water splitting, *Solar Energy Materials and Solar Cells* (2020). [DOI: 10.1016/j.solmat.2020.110703](https://doi.org/10.1016/j.solmat.2020.110703)

Provided by Institut national de la recherche scientifique

APA citation: Producing green hydrogen through the exposure of nanomaterials to sunlight (2021, January 21) retrieved 23 April 2021 from <https://phys.org/news/2021-01-green-hydrogen-exposure-nanomaterials-sunlight.html>

*This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.*