


Islands without structure inside metal alloys could lead to tougher materials

January 29 2021



Proposed hierarchical deformation mechanism paradigm for the equi-atomic CrCoNi-based HEAs subjected to increasing degrees of deformation. Elastic deformation, dislocation-mediated plasticity, twinning-induced plasticity, TRIP, and finally solid-state amorphization. Triggering the next mechanism requires

the generation of additional defects, i.e., dislocations and/or point defects (vacancies). These multiple mechanisms can interact, leading to a synergy of strengthening processes and a resulting highly complex microstructure. Credit: University of California San Diego

An international team of researchers produced islands of amorphous, non-crystalline material inside a class of new metal alloys known as high-entropy alloys.

This discovery opens the door to applications in everything from landing gears, to pipelines, to automobiles. The [new materials](#) could make these lighter, safer, and more energy efficient.

The team, which includes researchers from the University of California San Diego and Berkeley, as well as Carnegie Mellon University and University of Oxford, details their findings in the Jan. 29 issue of *Science Advances*.

"These present a bright potential for increased strength and toughness since metallic glasses ([amorphous metals](#)) have a strength that is vastly superior to that of crystalline metals and alloys," said Marc Meyers, a professor in the Department of Mechanical and Aerospace Engineering at UC San Diego, and the paper's corresponding author.

Using [transmission electron microscopy](#), which can identify the arrangement of atoms, the researchers concluded that this amorphization is triggered by extreme deformation at high velocities. It is a new deformation mechanism that can increase the strength and toughness of these high entropy alloys even further.

The research is based on seminal work by Brian Cantor at the University

of Oxford, and Jien-Wei Yeh at National Tsing Hua University in Taiwan. In 2004, both researchers led teams that reported the discovery of high-entropy alloys. This triggered a global search for new materials in the same class, driven by numerous potential applications in the transportation, energy, and defense industries.

"Significant new developments and discoveries in metal alloys are quite rare," Meyers said.

More information: "Amorphization in extreme deformation of the CrMnFeCoNi high-entropy alloy" *Science Advances* (2021).
advances.sciencemag.org/lookup...1126/sciadv.abb3108

Provided by University of California - San Diego

Citation: Islands without structure inside metal alloys could lead to tougher materials (2021, January 29) retrieved 20 September 2024 from <https://phys.org/news/2021-01-islands-metal-alloys-tougher-materials.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.