

Plastic in the ocean kills more threatened albatrosses than we thought

17 February 2021, by Richelle Butcher, Britta Denise Hardesty and Lauren Roman



Credit: Lauren Roman, Author provided

Plastic in the ocean can be [deadly for marine wildlife and seabirds](#) around the globe, but our latest [study](#) shows single-use plastics are a bigger threat to endangered albatrosses in the southern hemisphere than we previously thought.

You may have heard of the [Great Pacific garbage patch](#) in the northern Pacific, but [plastic pollution](#) in the southern hemisphere's oceans has [increased by orders of magnitude](#) in recent years.

We examined the causes of death of 107 albatrosses received by wildlife hospitals and pathology services in Australia and New Zealand and found [ocean plastic](#) is an underestimated threat.

Plastic drink bottles, disposable utensils and balloons are among the most deadly items.

Albatrosses are some of the world's most imperiled seabirds, with 73% of species threatened with extinction. Most species live in the southern hemisphere.

We estimate [plastic](#) ingestion causes up to 17.5% of near-shore albatross deaths in the southern hemisphere and should be considered a

substantial threat to albatross populations.

Magnificent ocean wanderers

[Albatrosses](#) spend their entire lives at sea and can live for more than 70 years. They return to land only to [reunite with their mate and raise a single chick](#) during the warmer months.

Although the world's largest flying birds are rarely seen from land, [human activities](#) are driving nearly three quarters of albatross species [to extinction](#).



The great albatrosses are the largest flying birds in the world, circumnavigating the southern oceans in search of food. Credit: Lauren Roman, Author provided

Each year, thousands of albatrosses [are caught as unintended bycatch](#) and killed by fishing boats. Introduced rats and mice [eat their chicks alive](#) on remote islands and the [ocean](#) where they spend their lives is becoming [increasingly warmer](#) and [filled with plastic](#).

Young Laysan albatrosses with their [bellies full of plastic](#) are not just a tragic tale from the remote northern Pacific. Albatrosses are dying from plastic

in the southern oceans, too.

When a Royal albatross recently [died in care](#) at [Wildbase Hospital](#) after eating a plastic bottle, it was not an isolated incident.

Single-use plastics hit albatrosses close to home

Eighteen of the world's 22 albatross species live in the [southern hemisphere](#), where plastic is currently considered a lesser threat. But the amount of discarded plastic is increasing every year, mostly leaked from towns and cities and accumulating near the shore.

[Single-use items](#) make up most of the trash found on coastlines around the world. Seven of the ten most common items—drink bottles, food wrappers and grocery bags—are [made of plastic](#).

When albatrosses are found struggling near the shore in New Zealand, they are delivered to wildlife hospitals such as [Wildbase Hospital](#) and [The Nest Te Kōhanga](#). A recent spate of plastic-linked deaths spurred us to dig a little deeper into the risk of plastic pollution to these magnificent ocean wanderers.



The remains of two balloons in the stomach of an endangered grey-headed albatross. Credit: Lauren Roman, Author provided

A thousand cuts: plastic and other threats

Of the 107 albatrosses of 12 species we examined, plastic was the cause of death in half of the birds that had ingested it. In the cases we examined, plastic deaths were more common than fisheries-related deaths or oiling.

We compared these cases with data on plastic ingestion and fishery interaction rates from other studies. Based on our findings, we used statistical methods to estimate how many albatrosses were likely to eat plastic and might die from ingesting it, and how these figures compared to other major threats such as fisheries bycatch.

We found that in the near-shore areas of Australia and New Zealand, the ingestion of plastic is likely to cause about 3.4% of albatross deaths. In more polluted near-shore areas, such as those off Brazil, we estimate plastic ingestion causes 17.5% of all albatross deaths.

Because albatrosses are highly migratory, even those birds that live in less polluted areas are at risk as they wander the global ocean, traveling to polluted waters. Our results suggest the ingestion of plastic is at least of equivalent concern as long-line fishing in near-shore areas.

For threatened and declining albatross species, these rates of additional mortality are a serious concern and could result in further population losses.

Deadly junk food for marine life

Not all types of plastic are equally deadly when eaten. Albatrosses can regurgitate many of the indigestible items they eat.



impact of activities known to kill albatrosses, would help prevent the decline of breeding populations to unsustainably low levels.

If populations fall to critically endangered levels, intensive remediation including the expansion of [chick](#) and [nest](#) protection programs, [invasive species eradication](#) and [seabird translocations](#), may be required to prevent species extinction.

This article is republished from [The Conversation](#) under a Creative Commons license. Read the [original article](#).

A 500ml plastic bottle and balloon fragments were found in the stomach of a southern royal albatross which died in care at Wildbase Hospital. Credit: Stuart Hunter, Author provided

Provided by The Conversation

Soft plastic and rubber items (such as latex balloons), in particular, can be deadly for marine animals because they often become trapped in the gut and cause fatal blockages, leading to a long, slow [death](#) by starvation. Plastic is difficult to see with common scanning techniques, and gut blockages often remain undetected.

Albatrosses like to eat squid, and inexperienced young birds are [especially prone](#) to mistaking balloons and other plastic for food, with potentially [lethal consequences](#).

We recommend that wildlife hospitals, carers and biologists consider gastric obstruction when sick albatrosses are presented. Our publication includes a [checklist](#) to help in the detection of gastric blockages.

Global cooperation to reduce leakage of plastic items into the ocean—such as the [Basel Convention](#) and the recommendations by the [High Level Panel for a Sustainable Ocean Economy](#)—are first steps towards preventing unnecessary deaths of marine animals.

Stronger adherence to multilateral agreements, such as the [Agreement on the Conservation of Albatrosses and Petrels](#) which aims to reduce the

APA citation: Plastic in the ocean kills more threatened albatrosses than we thought (2021, February 17)
retrieved 14 April 2021 from
<https://phys.org/news/2021-02-plastic-ocean-threatened-albatrosses-thought.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.