

Extinct atom reveals the long-kept secrets of the solar system

March 2 2021, by Peter Rüegg



The unstable atom ^{92}Nb , which has long since disappeared, provides information about the beginnings of our solar system. Credit: Makiko K. Haba

Using the extinct niobium-92 atom, ETH researchers have been able to date events in the early solar system with greater precision than before. The study concludes that supernova explosions must have taken place in the birth environment of our sun.

If an atom of a chemical element has a surplus of protons or neutrons, it

becomes unstable. It will shed these additional particles as gamma radiation until it becomes stable again. One such unstable isotope is niobium-92 (^{92}Nb), which experts also refer to as a radionuclide. Its half-life of 37 million years is relatively brief, so it went extinct shortly after the formation of the solar system. Today, only its stable daughter isotope, zirconium-92 (^{92}Zr), bears testimony to the existence of ^{92}Nb .

Yet scientists have continued to make use of the extinct radionuclide in the form of the ^{92}Nb - ^{92}Zr chronometer, with which they can date events that took place in the [early solar system](#) some 4.57 billion years ago.

Use of the ^{92}Nb - ^{92}Zr chronometer has hitherto been limited by a lack of precise information regarding the amount of ^{92}Nb that was present at the birth of the solar system. This compromises its use for dating and determining the production of these radionuclides in stellar environments.

Meteorites hold the key to the distant past

Now a research team from ETH Zurich and the Tokyo Institute of Technology (Tokyo Tech) has greatly improved this chronometer. The researchers achieved this improvement by means of a clever trick: they recovered rare zircon and rutile minerals from meteorites that were fragments of the protoplanet Vesta. These minerals are considered to be the most suitable for determining ^{92}Nb , because they give precise evidence of how common ^{92}Nb was at the time of the meteorite's formation. Then, with the uranium-lead dating technique (uranium atoms that decay into lead), the team calculated how abundant ^{92}Nb was at the time the solar system's formation. By combining the two methods, the researchers succeeded in considerably improving the precision of the ^{92}Nb - ^{92}Zr chronometer.

"This improved chronometer is thus a powerful tool for providing

precise ages for the formation and development of asteroids and planets—events that happened in the first tens of millions of years after the formation of the solar system," says Maria Schönbacher, Professor at the Institute of Geochemistry and Petrology at ETH Zurich, who led the study.

Supernovas release niobium-92

Now that the researchers know more precisely how abundant ^{92}Nb was at the very beginnings of our solar system, they can determine more accurately where these atoms were formed and where the material that makes up our sun and the planets originated.

The research team's new model suggests that the inner solar system, with the terrestrial planets Earth and Mars, is largely influenced by material ejected by Type Ia supernovae in our Milky Way galaxy. In such stellar explosions, two orbiting stars interact with each other before exploding and releasing stellar material. In contrast, the outer solar system was fed primarily by a core-collapse supernova—probably in the stellar nursery where our sun was born –, in which a massive star collapsed in on itself and exploded violently.

More information: Makiko K. Haba et al. Precise initial abundance of Niobium-92 in the Solar System and implications for p-process nucleosynthesis, *Proceedings of the National Academy of Sciences* (2021). [DOI: 10.1073/pnas.2017750118](https://doi.org/10.1073/pnas.2017750118)

Provided by ETH Zurich

Citation: Extinct atom reveals the long-kept secrets of the solar system (2021, March 2) retrieved 19 September 2024 from <https://phys.org/news/2021-03-extinct-atom-reveals-long-kept->

[secrets.html](#)

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.