

Study provides first evidence of DNA collection from air

March 31 2021



Credit: Pixabay/CC0 Public Domain

Researchers from Queen Mary University of London have shown for the first time that animal DNA shed within the environment can be collected from the air.

The proof-of-concept study, published in the journal *PeerJ*, opens up potential for new ecological, health and forensic applications of environmental DNA (eDNA), which to-date has mainly been used to survey aquatic environments.

Living organisms such as plants and [animals](#) shed DNA into their surrounding environments as they interact with them. In recent years, eDNA has become an important tool to help scientists identify species found within different environments. However, whilst a range of environmental samples, including soil and air, have been proposed as sources of eDNA until now most studies have focused on the collection of eDNA from water.

In this study, the researchers explored whether eDNA could be collected from air samples and used to identify animal species. They first took air samples from a room which had housed [naked mole-rats](#), a social rodent species that live in underground colonies, and then used existing techniques to check for DNA sequences within the sampled air.

Using this approach, the research team showed that airDNA sampling could successfully detect mole-rat DNA within the animal's housing and from the room itself. The scientists also found human DNA in the air samples suggesting a potential use of this sampling technique for forensic applications.

Dr. Elizabeth Clare, Senior Lecturer at Queen Mary University of London and first author of the study, said: "The use of eDNA has become a topic of increasing interest within the scientific community particularly for ecologists or conservationists looking for efficient and non-invasive ways to monitor biological environments. Here we provide the first published evidence to show that animal eDNA can be collected from air, opening up further opportunities for investigating animal communities in hard to reach environments such as caves and burrows."

Research impact

The project was supported by Queen Mary's Impact Acceleration Accounts, strategic awards provided to institutions by UK Research and

Innovation (UKRI) that support knowledge exchange and help researchers generate impact from their research.

The research team are now working with partners in industry and the third sector, including the company NatureMetrics, to bring some of the potential applications of this technology to life.

Dr. Clare added: "What started off as an attempt to see if this approach could be used for ecological assessments has now become much more, with potential applications in forensics, anthropology and even medicine."

"For example, this technique could help us to better understand the transmission of airborne diseases such as COVID-19. At the moment social distancing guidelines are based on physics and estimates of how far away virus particles can move, but with this technique we could actually sample the air and collect real-world evidence to support such guidelines."

More information: Elizabeth L. Clare et al. eDNAir: proof of concept that animal DNA can be collected from air sampling, *PeerJ* (2021). [DOI: 10.7717/peerj.11030](https://doi.org/10.7717/peerj.11030)

Provided by Queen Mary, University of London

Citation: Study provides first evidence of DNA collection from air (2021, March 31) retrieved 26 April 2024 from <https://phys.org/news/2021-03-evidence-dna-air.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.