


Research uncovers 'on-off switch' that controls when neurons can change and grow

April 13 2021, by Sarah DeGenova Ackerman



The colors in this microscope photo of a fruit fly brain show different types of neurons and the cells that surround them in the brain. Credit: [Sarah DeGenova Ackerman](#), [CC BY-ND](#)

Neuroplasticity—the ability of neurons to [change their structure and function in response to experiences](#)—can be turned off and on by the cells that surround neurons in the brain, [according to a new study](#) on fruit flies that I co-authored.

As [fruit fly larvae](#) age, their [neurons](#) shift from a highly adaptable state

to a stable state and lose their ability to change. During this process, support cells in the [brain](#)—called astrocytes—[envelop the parts of the neurons](#) that send and receive electrical information. When my team removed the astrocytes, the neurons in the [fruit fly](#) larvae remained plastic longer, hinting that somehow astrocytes suppress a neuron's ability to change. We then discovered two specific proteins that regulate neuroplasticity.

Why it matters

The [human brain](#) is made up of billions of neurons that form complex connections with one another. Flexibility at these connections is a [major driver of learning and memory](#), but things can go wrong if it isn't tightly regulated. For example, in people, too much plasticity at the wrong time is linked to brain disorders such as [epilepsy](#) and [Alzheimer's disease](#). Additionally, reduced levels of the two neuroplasticity-controlling proteins we identified are linked to increased susceptibility to [autism](#) and [schizophrenia](#).

Similarly, in our [fruit flies](#), removing the cellular brakes on plasticity permanently impaired their crawling behavior. While fruit flies are of course different from humans, their brains work in very similar ways to the human brain and can offer valuable insight.

One obvious benefit of discovering the effect of these proteins is the potential to treat some neurological diseases. But since a neuron's flexibility is closely tied to learning and memory, in theory, researchers might be able to [boost plasticity](#) in a controlled way to [enhance cognition in adults](#). This could, for example, allow people to more easily learn a new language or musical instrument.



As fruit flies develop, special cells surround their neurons and seem to halt neuroplasticity. Sarah DeGenova Ackerman, [CC BY-ND](#)


How we did the work

[My colleagues and I](#) focused our experiments on a specific type of neurons called [motor neurons](#). These control movements like [crawling](#) and [flying](#) in fruit flies. To figure out how astrocytes controlled neuroplasticity, we used genetic tools to turn off specific proteins in the astrocytes one by one and then measured the effect on motor neuron structure. We found that astrocytes and motor neurons communicate with one another using a specific pair of proteins called neuroligins and neurexins. These proteins essentially function as an off button for [motor neuron plasticity](#).

What still isn't known

My team discovered that two proteins can control neuroplasticity, but we don't know how these cues from astrocytes cause neurons to lose their ability to change.

Additionally, researchers still know very little about why neuroplasticity is so strong in younger animals and [relatively weak in adulthood](#). In our study, we showed that prolonging plasticity beyond development can sometimes be [harmful to behavior](#), but we don't yet know why that is, either.



In this image showing a developing fruit fly brain on the right and the attached nerve cord on the left, the astrocytes are labeled in different colors showing their wide distribution among neurons. Credit: Sarah DeGenova Ackerman, [CC BY-ND](#)

What's next

I want to explore why longer periods of neuroplasticity can be harmful. Fruit flies are great study organisms for this research because it is very easy to [modify the neural connections in their brains](#). In my team's next project, we hope to determine how changes in neuroplasticity during development can lead to long-term changes in behavior.

There is so much more work to be done, but our research is a first step toward treatments that use astrocytes to influence how neurons change in the mature brain. If researchers can understand the basic mechanisms that control [neuroplasticity](#), they will be one step closer to developing therapies to treat a variety of neurological disorders.

This article is republished from [The Conversation](#) under a Creative Commons license. Read the [original article](#).

Provided by The Conversation

Citation: Research uncovers 'on-off switch' that controls when neurons can change and grow (2021, April 13) retrieved 20 September 2024 from <https://phys.org/news/2021-04-uncovers-on-off-neurons.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.