


New family of atomic-thin electride materials discovered

June 10 2021



Yellow isosurfaces on left panel indicate electrons localized in-between the C₃ trimers. Ionized structure on the right has no trapped electrons, and some of the M atoms have been largely displaced. This displacement of the M atoms again significantly stabilizes the ionized structure. Credit: Soungmin Bae and Hannes Raebiger

An exploratory investigation into the behavior of materials with desirable electric properties has resulted in the discovery of a structural phase of two-dimensional (2D) materials. The new family of materials are electrides, wherein electrons occupy a space usually reserved for atoms or ions instead of orbiting the nucleus of an atom or ion. The stable, low-energy, tunable materials could have potential applications in nanotechnologies.

The international research team, led by Hannes Raebiger, associate professor in the Department of Physics at Yokohama National University in Japan, published their results on June 10 as the frontispiece in *Advanced Functional Materials*.

Initially, the team set out to better understand the fundamental properties of a 2D system known as Sc_2CO_2 . Containing two atoms of metallic scandium, one atom of carbon and two atoms of oxygen, the system belongs to a family of chemical compounds collectively referred to as MXenes. They are typically composed of a carbon or nitrogen layer one atom thick sandwiched between metal layers, dotted with oxygen or fluorine atoms.

The researchers were particularly interested in MXene Sc_2CO_2 due to the predictions that when structured into a hexagonal phase, the system would have desired electrical properties.

"Despite these fascinating predictions of hexagonal phases of Sc_2CO_2 , we are not aware of its successful fabrication as of yet," said Soungmin Bae, first author and researcher in the Department of Physics at Yokohama National University. "Analyzing its fundamental properties, we discovered a completely new structural phase."

The new structural phase results in new electride materials. The atomic-thin 2D structural phase is described as tiled shapes forming the central carbon plane. The previously predicted shape was a hexagon, with a carbon atom at every vertex and one in the middle. The new materials have a rhombus-like shape, with electrons at the vertices and a carbon trimer—three carbon atoms in a row—in the middle.

"Carbon is one of the most common materials on our planet, and quite important for living beings, but it is hardly ever found as trimers," Raebiger said. "The closest place where [carbon](#) trimers are typically

found is interstellar space."

The overall shape is less symmetric than the previously described [hexagonal structure](#), but it is more symmetric with regard to the central plane. This structure offers unique characteristics due to the appearance of the new family of electrides, according to Raebiger.

"Electrides contain electrons as a structural unit and often are extremely good electrical conductors," Raebiger said. "The present family of electrides are insulators, and while most insulators can be made conductive by adding or removing electrons, these materials simply become more insulating."

MXenes are particularly attractive as a material, because they can be reconfigured with other metallic elements to offer a cornucopia of properties, including tunable conductivity, various forms of magnetism, and/or accelerate chemical reactions as catalysts. On top of this, they are ultra-thin sheets only a few atoms thick, that is, 2D materials. The newly discovered electrides have electrons in lattice voids between [atoms](#) and ions, which can be readily emitted into surrounding space, such as the electron sources for large particle accelerators, as well as be borrowed to catalyze a specifically desired chemical reaction.

"We made this discovery because we wanted to understand how these materials work better," Bae said. "If you encounter something you don't understand, dig deeper."

Co-authors include William Espinosa-García and Gustavo M. Dalpian, Centro de Ciências Naturais e Humanas, Universidade Federal do ABC, Brazil; Yoon-Gu Kang and Myung Joon Han, Department of Physics, Korea Advanced Institute of Science and Technology; Juho Lee and Yong-Hoon Kim, Department of Electrical Engineering, Korea Advanced Institute of Science and Technology; Noriyuki Egawa,

Kazuaki Kuwahata and Kaoru Ohno, Department of Physics at Yokohama National University; and Mohammad Khazaei and Hideo Hosono, Materials Research Center for Element Strategy, Tokyo Institute of Technology. Espinosa-García is also affiliated with Grupo de investigación en Modelamiento y Simulación Computacional, Facultad de Ingenierías, Universidad de San Buenaventura-Medellín.

More information: Soungmin Bae et al, MXene Phase with C 3 Structure Unit: A Family of 2D Electrides, *Advanced Functional Materials* (2021). [DOI: 10.1002/adfm.202100009](https://doi.org/10.1002/adfm.202100009)

Provided by Yokohama National University

Citation: New family of atomic-thin electride materials discovered (2021, June 10) retrieved 19 September 2024 from <https://phys.org/news/2021-06-family-atomic-thin-electride-materials.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.