

# Research guides future of plastic waste chemical recycling

20 September 2021, by Syl Kacapyr



Credit: CC0 Public Domain

New research from the Cornell College of Engineering aims to ease the process of chemical recycling—an emerging industry that could turn waste products back into natural resources by physically breaking plastic down into the smaller molecules it was originally produced from.

In a new paper, "Consequential Life Cycle Assessment and Optimization of High-Density Polyethylene Plastic Waste Chemical Recycling," published in the Sept. 13 issue of the journal *ACS Sustainable Chemistry & Engineering*, Fengqi You, the Roxanne E. and Michael J. Zak Professor in Energy Systems Engineering, and doctoral student Xiang Zhao detail a framework incorporating several mathematical models and methodologies that factor everything from chemical recycling equipment, processes and energy sources, to environmental effects and the market for end products.

The framework is the first comprehensive analysis of its kind that quantifies the life-cycle environmental impacts of plastic waste chemical recycling, such as climate change and human

toxicity.

Billions of tons of plastic have been produced since the 1950s, yet most of it—91%, according to one often cited study—has not been recycled. While growing landfills and contaminated natural areas are among the concerns, the failure to reduce and reuse plastic is also seen by some as a missed economic opportunity.

That's why the emerging industry of chemical recycling is capturing the attention of the waste industry and researchers like You, who is helping to identify optimal technologies for chemical recycling and providing a roadmap for the future of the industry.

Not only does chemical recycling create a "circular economy," in which a waste product can be turned back into a natural resource, but it opens the door for plastics such as high-density polyethylene—used to produce items such as rigid bottles, toys, underground pipes, and mail package envelopes—to be recycled more commonly.

Your framework can quantify the environmental consequences of market dynamics that typical life-cycle sustainability assessments would overlook. It's also the first to combine superstructure optimization—a computational technique for searching over a large combinatorial space of technology pathways for minimizing cost—with life-cycle analysis, market information and economic equilibrium.

The paper highlights the benefits of consequential life-cycle optimization when compared with more traditional analytical tools. In one scenario, to maximize economic outcomes while minimizing environmental impacts, life-cycle optimization produced a more than 14% decrease in greenhouse gas emissions and a more than 60% reduction of photochemical air pollution when compared with the attributional life-cycle

assessment approach typically used in environmental assessment studies.

While the analysis gives industry experts and policy makers a general pathway for advancing chemical recycling and a circular economy for plastics, myriad choices and variables along the technological path must be considered. For instance, if the market demand for basic chemicals like ethylene and propylene is strong enough, the framework recommends a specific type of chemical separation technology, while if butane or isobutene are desired, another type technology is optimal.

"It's a chemical process and there are so many possibilities," You said. "If we want to invest in chemical recycling, what technology would we use? That really depends on the composition of our waste, the variants of polyethylene [plastic](#), and it depends on current market prices for end products like fuels and hydrocarbons."

Environmental consequences of chemical recycling depend on variables such as supplier process of chemical feedstocks and products. For instance, the framework found that producing butene onsite as opposed to having it supplied can reduce photochemical air pollution from recycling plants by nearly 20%, while onsite use of natural gas increases more than 37% of potentially harmful ionizing radiation.

"There's always something we can twist and adjust in the technology and process, and that's the tricky part," said You, who added that as new chemical recycling techniques emerge and markets change, consequential life-cycle optimization will remain a powerful tool for guiding the emerging industry.

**More information:** Xiang Zhao et al, Consequential Life Cycle Assessment and Optimization of High-Density Polyethylene Plastic Waste Chemical Recycling, *ACS Sustainable Chemistry & Engineering* (2021). [DOI: 10.1021/acssuschemeng.1c03587](https://doi.org/10.1021/acssuschemeng.1c03587)

Provided by Cornell University  
APA citation: Research guides future of plastic waste chemical recycling (2021, September 20) retrieved

5 December 2021 from <https://phys.org/news/2021-09-future-plastic-chemical-recycling.html>

*This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.*