

Fujitsu Develops Optical Element for Thermal Assisted Magnetic Recording

November 28 2006

Fujitsu Inc. announced the development of a multi-layered optical element for thermal assisted magnetic recording. Using this optical element, engineers were able to achieve a sub-hundred nanometer optical spot size, which is considered an enabling element for the successful deployment of one terabit per square inch recording technology for hard disk drives. This groundbreaking development was presented during the International Symposium on Optical Memory (ISOM) in Japan this past October.

In the Personal Computing and Consumer Electronics markets, demand for high capacity products is continuing to escalate. To address today's needs, the HDD industry has implemented perpendicular magnetic recording (PMR) technology in order to increase the storage capacity of hard disk drives.

The merging of optical thermal assist and perpendicular recording is of high interest to the hard disk drive industry, as it enables manufacturers to reach capacities around ten times greater than what is now possible.

As research and development for Terabit recording continues, thermal assisted magnetic recording is considered to be one of the crucial technologies. For this method to work, it is essential to have a very small optical spot with high optical transmission efficiency on the recording media.

Successful implementation of thermal assisted recording technology also

requires the following criteria:

- Optical elements must be incorporated into the hard disk drive magnetic head manufacturing process.
- Output beam size needs to be focused to an extremely small size to achieve the very high density recording at 1 Terabit per square inch (1 Tbit/in²).
- High optical transmission efficiency is required to heat the recording spot to allow easier recording on high coercivity magnetic media.

Using a specially designed optical element, Fujitsu was able to attain a spot size of 88nm x 60nm with 17% optical efficiency. In this optical element, a multi-layered structure with an optical transmission layer was adopted. Fujitsu is the world's first company to achieve a sub-hundred nanometer optical spot with a layered optical element.

"This achievement realized by Fujitsu with the multi-layered optical element is an exciting milestone for high density recording development, as well as for the storage industry as a whole," said Joel Hagberg, vice president, marketing and business development, Fujitsu Computer Products of America. "With this accomplishment, Fujitsu is paving the way for hard disk drive manufacturers to effectively meet the demands of PC and CE vendors for ultra-high capacity HDD products."

In order to attain terabit class recording, a combination of leading-edge technologies are required, and Fujitsu remains at the forefront with such accomplishments. During 2005-06, several new breakthroughs were announced in Japan, including: advancements in patterned media technology (June '05); a new lubricant that allows for lower flying height (April '06); and improvements in head material development (August '06). With this latest achievement in thermal assisted magnetic recording,

Source: Fujitsu

Citation: Fujitsu Develops Optical Element for Thermal Assisted Magnetic Recording (2006, November 28) retrieved 26 April 2024 from <https://phys.org/news/2006-11-fujitsu-optical-element-thermal-magnetic.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.