


# Researchers create design for nanometer-scale material that can speed up, squeeze light

April 29 2013, by Andrew Careaga



The cross-section of a 100-nanometer-long “meta-atom” of gold and silicon oxide. Researchers say the meta-atom is capable of straightening and speeding up light waves.

(Phys.org) —In a process one researcher compares to squeezing an elephant through a pinhole, researchers at Missouri University of Science and Technology have designed a way to engineer atoms capable of funneling light through ultra-small channels.

Their research is the latest in a series of recent findings related to how light and matter interact at the atomic scale, and it is the first to demonstrate that the material – a specially designed "meta-atom" of gold and silicon oxide – can transmit light through a wide [bandwidth](#) and at a speed approaching [infinity](#). The meta-atoms' broadband capability could lead to advances in [optical devices](#), which currently rely on a single frequency to transmit light, the researchers say.

"These meta-atoms can be integrated as [building blocks](#) for unconventional [optical components](#) with exotic [electromagnetic properties](#) over a wide [frequency range](#)," write Dr. Jie Gao and Dr. Xiaodong Yang, assistant professors of [mechanical engineering](#) at Missouri S&T, and Dr. Lei Sun, a visiting scholar at the university. The researchers describe their [atomic-scale](#) design in the latest issue of the journal *Physical Review B*.

The researchers created mathematical models of the meta-atom, a material 100 nanometers wide and 25 nanometers tall that combined gold and [silicon oxide](#) in stairstep fashion. A nanometer is one billionth of a meter and visible only with the aid of a high-power electron microscope.

In their simulations, the researchers stacked 10 of the meta-atoms, then shot light through them at various frequencies. They found that when light encountered the material in a range between 540 terahertz and 590 terahertz, it "stretched" into a nearly straight line and achieved an "effective permittivity" known as epsilon-near-zero.

Effective permittivity refers to the ratio of light's speed through air to its speed as it passes through a material. When light travels through glass, for instance, its effective permittivity is 2.25. Through air or the vacuum of outer space, the ratio is one. That ratio is what is typically referred to as the speed of light.

As light passes through the engineered meta-atoms described by Gao and Yang, however, its effective permittivity reaches a near-zero ratio. In other words, through the medium of these specially designed materials, light actually travels faster than the speed of light. It travels "infinitely fast" through this medium, Yang says.

The meta-atoms also stretch the light. Other materials, such as glass,

typically compress optical waves, causing diffraction.

This stretching phenomenon means that "waves of light could tunnel through very small holes," Yang says. "It is like squeezing an elephant through an ultra-small channel."

The wavelength of light encountering a single meta-atom is 500 nanometers from peak to peak, or five times the length of Gao and Yang's specially designed meta-atoms, which are 100 nanometers in length. While the Missouri S&T team has yet to fabricate actual meta-atoms, they say their research shows that the materials could be built and used for optical communications, image processing, energy redirecting and other emerging fields, such as adaptive optics.

Last year, Albert Polman at the FOM Institute for Atomic and Molecular Physics in Amsterdam and Nader Engheta, an electrical engineer at the University of Pennsylvania, developed a tiny waveguide device in which light waves of a single wavelength also achieved epsilon-near-zero. But the Missouri S&T researchers' work is the first to demonstrate epsilon-near-zero in a broadband of 50 terahertz.

"The design is practical and realistic, with the potential to fabricate actual meta-atoms," says Gao. Adds Yang: "With this research, we filled the gap from the theoretical to the practical."

Through a process known as electron-beam deposition, the researchers have built a thin-film wafer from 13 stacked meta-atoms. But those materials were uniform in composition rather than arranged in the staircase fashion of their modeled meta-[atoms](#).

**More information:** "Broadband epsilon-near-zero metamaterials with steplike metal-dielectric multilayer structures," *Phys. Rev. B* 87, 165134 2013: [link.aps.org/doi/10.1103/PhysRevB.87.165134](http://link.aps.org/doi/10.1103/PhysRevB.87.165134)

Provided by Missouri University of Science and Technology

Citation: Researchers create design for nanometer-scale material that can speed up, squeeze light (2013, April 29) retrieved 20 September 2024 from <https://phys.org/news/2013-04-nanometer-scale-material.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.