

# Invasive species not best conservation tool, study says

April 6 2016

---



Native Great Lakes Mussels. Credit: Prof. Joe Ackerman

Harnessing an invasive fish species sounded like a promising

conservation tool to help reverse the destruction wreaked by zebra mussels on endangered native mollusks in the Great Lakes - except that it won't work, says a University of Guelph ecologist.

In a novel twist on invasive [species](#) ecology, a research team led by integrative biology professor Joe Ackerman found that the round goby [fish](#) - an invader in Ontario waters—only makes matters worse for native mollusks already driven to near-extinction by an earlier zebra mussel invasion.

The Guelph team's paper appears today in the *Royal Society Open Science* journal.

Ackerman worked with lead author and former master's student Maude Tremblay and Todd Morris, a researcher at Fisheries and Oceans Canada.

Suspension-feeding mussels living on the bottom of lakes and streams help to clean water used for everything for drinking to fishing and other recreation.

Nearly all indigenous mussel species in the Great Lakes have been largely wiped out by [zebra mussels](#), an invader that arrived in the late 1980s. Zebra mussels disrupt normal movement and feeding of native species, as well as clogging [water intake pipes](#) and fouling ship hulls.

Many native mussels remain in rivers and streams feeding the Great Lakes, said Ackerman. With the round goby invading these so-called conservation "hot spots," many scientists worried that the invasive fish would prey on those mollusks or out-compete native fish critical to the mussels' life cycle.

"Mussels need fish for successful reproduction. The larva has to attach to

the gills or fins to develop into juveniles," said Ackerman.

He wondered whether the fish might help stave off extinction by serving as a new host for mussel larvae.

In the lab and in fieldwork, Tremblay compared development of mussel larvae on round gobies collected from the Grand and Sydenham rivers with larvae on the mollusks' customary fish hosts.

Although the larvae established themselves on round gobies, few developed into juveniles in the lab, said Ackerman.

That means endangered mussels are further threatened by hampered reproduction on round gobies that essentially "wastes" larvae.

Most invaders prey on native species or out-compete them for food and other resources. Limiting reproduction is a novel strategy for an invasive species, he said.

Ackerman said the study further underlines the need to control invaders in the Great Lakes.

**More information:** Loss of Reproductive Output Caused by an Invasive Species, *Royal Society Open Science*, [rsos.royalsocietypublishing.org ... /10.1098/rsos.150481](https://royalsocietypublishing.org/doi/10.1098/rsos.150481)

Provided by University of Guelph

Citation: Invasive species not best conservation tool, study says (2016, April 6) retrieved 10 May 2024 from <https://phys.org/news/2016-04-invasive-species-tool.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.