

Gold Strike in Science World

June 6 2006

A University of Adelaide PhD physiology researcher has discovered a world first: a diving insect that can regulate its buoyancy in water, just like a scuba diver.

The findings of Phil Matthews, 24, in relation to the backswimmer (*Anisops deanei*) were published in the prestigious international science journal, *Nature*, last month.

When Mr Matthews submitted the findings of his research in January, he was convinced "it would trickle down the tree and get buried under hundreds of other submissions."

Instead, his paper was accepted by *Nature* and published on 9 May, immeasurably boosting the young physiologist's career prospects on an international scale.

The paper discusses a significant finding in the physiology world relating to the backswimmer. It appears that these bugs use haemoglobin-containing cells in their abdomen to supply oxygen and regulate their buoyancy, a quirk of nature unique to backswimmers.

It allows these insects to remain poised in the water for around four minutes without having to surface for oxygen – something that no other insect in the world can do.

Mr Matthews and his PhD supervisor, Professor Roger Seymour from the School of Earth & Environmental Science, made the discovery by

placing a submerged backswimmer on a sensitive weight balance and measuring the oxygen level inside its bubble.

Foraging insects sport an over-inflated bubble filled with nitrogen and oxygen when embarking on a dive, but the effort of dragging this buoyant cargo downwards through the water quickly uses up oxygen.

“Carrying a bubble when you are a tiny insect means you are going to be very buoyant. If you are not clinging to the bottom, or swimming very hard to stay submerged, you are going to be shooting straight to the surface,” Mr Matthews explained.

“A bubble of air carried by a diving insect is always going to be shrinking. About 20% of the bubble’s volume is oxygen, so as the insect respire the oxygen, the bubble will inevitably shrink.

“Simultaneously, nitrogen in the bubble dissolves into the water, further shrinking the bubble. Without a stable bubble volume, a stable buoyancy cannot be achieved.”

Backswimmers overcome these problems by carrying extra oxygen reserves in their haemoglobin, stored in their abdomen. It means they can carry a much smaller bubble, and by releasing oxygen from the haemoglobin into the bubble, can regulate its volume to stop it shrinking.

“This buoyancy system is unique amongst all creatures,” Mr Matthews said. “This finding shows that evolution can produce the most unexpected solutions to a problem, in this case using haemoglobin in an entirely unique way.”

On a human level, the backswimmers replicate the same effect as a scuba diver’s buoyancy vest, which allows them to hover weightless in

the water.

“Like many of the best inventions, the animal kingdom got there first,”
Mr Matthews said.

He said entomologists had been aware of the correlation between haemoglobin and neutral buoyancy in backswimmers since the early 1900s, but this was the first successful experiment to directly measure the buoyancy and oxygen levels.

Source: University of Adelaide

Citation: Gold Strike in Science World (2006, June 6) retrieved 1 June 2023 from
<https://phys.org/news/2006-06-gold-science-world.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.