

Discovery poses challenge to galaxy formation theories

April 10 2009



Artist's concept of the Milky Way galaxy, with the "galactic bar" visible in the center. Image: NASA.

A team led by an Indiana University astronomer has found a sample of massive galaxies with properties that suggest that they may have formed relatively recently. This would run counter to the widely-held belief that massive, luminous galaxies (like our own Milky Way Galaxy) began their formation and evolution shortly after the Big Bang, some 13 billion years ago. Further research into the nature of these objects could open new windows into the study of the origin and early evolution of galaxies.

John Salzer, principal investigator for the study published today in

[Astrophysical Journal Letters](#), said that the 15 galaxies in the sample exhibit luminosities (a measure of their total light output) that indicate that they are massive systems like the Milky Way and other so-called "giant" galaxies. However, these particular galaxies are unusual because they have chemical abundances that suggest that very little stellar evolution has taken place within them. Their relatively low abundances of "heavy" elements (elements heavier than [helium](#), called "metals" by astronomers) imply that the galaxies are cosmologically young and may have formed recently.

The chemical abundances of the galaxies, combined with some simple assumptions about how stellar evolution and chemical enrichment progress in galaxies in general, suggest that they may only be 3 or 4 billion years old, and therefore formed 9 to 10 billion years after the [Big Bang](#). Most theories of [galaxy formation](#) predict that massive, luminous systems like these should have formed much earlier.

If this overall interpretation proves correct, the galaxies may allow astronomers to investigate phases of the galaxy formation and evolution process that have been difficult to study because they normally occur at such early times in the Universe, and therefore at very large distances from us.

"These objects may represent a unique window on the process of galaxy formation, allowing us to study relatively nearby systems that are undergoing a phase in their evolution that is analogous to the types of events that, for most galaxies, typically occurred much earlier in the history of the Universe," Salzer said.

The discoveries are the result of a multi-year survey of more than 2,400 star-forming galaxies called the Kitt Peak National Observatory International Spectroscopic Survey (KISS). The survey was designed to collect basic observational data for a large number of extragalactic

emission-line sources. Additional rounds of follow-up spectroscopy for the sources discovered in the initial survey led to the discovery of the 15 luminous, low-abundance systems.

"The reason we found these types of galaxies has to do with the unique properties of the KISS survey method," Salzer said. "Galaxies were selected via their strong emission lines, which is the only way to detect these specific galaxies." Previous surveys done by others have largely missed findings these unusual galaxies.

While the hypothesis that these galaxies are cosmologically young is provocative, it is not the only possible explanation for these enigmatic systems. An alternative explanation proposes that the galaxies are the result of a recent merger between two smaller galaxies. Such a model might explain these objects, since the two-fold result of such a merger might be the reduction of metal abundances due to dilution from unprocessed gas and a brief but large increase in luminosity caused by rampant star formation. As a way to distinguish between these two scenarios, Salzer and his team intend to request observing time on NASA's Hubble Space Telescope to use high-resolution imaging to determine whether or not the systems might be products of merging.

Source: Indiana University ([news](#) : [web](#))

Citation: Discovery poses challenge to galaxy formation theories (2009, April 10) retrieved 3 May 2024 from <https://phys.org/news/2009-04-discovery-poses-galaxy-formation-theories.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
