

LLNL research at Marshall Islands could lead to resettlement

February 11 2010

Through Laboratory soil cleanup methods, residents of Bikini, Enjebi and Rongelap Islands - where nuclear tests were conducted on the atolls and in the ocean surrounding them in the 1950s - could have lower radioactive levels than the average background dose for residents in the United States and Europe.

The National Nuclear Security Administration's Lawrence Livermore National Laboratory scientists Bill Robison and Terry Hamilton calculated the radiation doses for people resettling Bikini, Enjebi, Rongelap and Utrok Islands. The two found that when it rains, a portion of the soluble cesium-137 (^{137}Cs) - an isotope of cesium - is transported to the groundwater that lies about three meters below the soil surface. The groundwater eventually gets mixed with the ocean waters so the ^{137}Cs is lost from the soil and is not available for uptake by growing vegetation on the island. The rate of this loss process is much faster than the loss by radiological decay.

In addition, treatment of [food crops](#) with potassium reduces the ^{137}Cs concentration in edible fruits to about 5 percent of pretreatment concentrations. Potassium treatment and removal of the top 15 centimeters of soil around houses and community buildings prior to construction of new buildings to reduce external exposure where people spend most of their time - referred to as the combined option - could be used as a remediation strategy before resettlement, Robison said.

"If this approach is taken, the natural background dose plus the nuclear-

test-related dose at Bikini, Enjebi and Rongelap would be less than the usual background dose in the United States and Europe," Hamilton said.

The United States conducted 24 nuclear tests at Bikini Atoll with a total yield of 76.8 megatons (MT). The Castle series of tests produced about 60 percent of this total yield and included the 15-megaton Bravo test that was the primary source of radioactive contamination of Bikini Island and Rongelap and Utrok Atolls. Pretest estimated yield for the Bravo test was about five megatons. The much larger yield resulted in vaporization of more coral reef and island than expected and the debris-cloud reached a much higher altitude than anticipated.

High-altitude winds were to the east at the time of detonation and carried the radioactive debris toward Rongelap Atoll. Utrok Atoll also received fallout from the Bravo test but at much lower air and ground-level concentrations than at Rongelap Atoll. Other atolls received Bravo fallout at levels below that of Utrok.

Today, scientists in Lawrence Livermore's Marshall Islands Dose Assessment and Radioecology Program work to minimize exposure through ingestion and other pathways for the Marshallese now living on or wishing to return to their islands. The program continues research begun nearly 30 years ago to characterize radiological conditions on affected islands and develop strategies to minimize radiological exposure to a people who want to resettle. The program also supports Marshallese efforts to implement radiation protection programs for residents wishing to track their exposure to radionuclides from fallout contamination that still lingers on the islands.

Previous assessments showed that ^{137}Cs accounts for about 98 percent of the total dose for returning resident at the various atolls. About 85 percent to 90 percent of the dose (depending on the atoll) is from consumption of locally grown foods such as coconut meat and fluid,

copra meat and milk, Pandanus fruit and breadfruit. About 10 percent of the dose is due to external gamma radiation from ^{137}Cs in the soil. Isotopes of strontium, plutonium and americium account for less than 5 percent of the estimated dose.

The research appears as the cover article in the journal, *Health Physics*.

Provided by Lawrence Livermore National Laboratory

Citation: LLNL research at Marshall Islands could lead to resettlement (2010, February 11)
retrieved 9 April 2024 from

<https://phys.org/news/2010-02-llnl-marshall-islands-resettlement.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--