


Cobalt-controlled communication: Fine performance tuning of organometallic molecular wire

September 6 2010



(PhysOrg.com) -- Smaller and smarter: this is the aim of research in the quest for ever faster electronic devices smaller in size but capable of performing more complicated tasks. Devices consisting of the smallest possible components, molecular parts, have emerged as the answer.

Molecular wires, the most basic components of molecular [electronic circuits](#), need to be accurately adjusted for optimal performance. Y. Tanaka, T. Koike, and M. Akita of the Chemical Resources Laboratory, Tokyo Institute of Technology, reveal the key factor for tuning wire-like performance in the Short Communication published in the *European Journal of Inorganic Chemistry*.

The factors affecting the communication performance of molecular devices are important for the development of [molecular electronics](#). Parts of molecular electronic circuits (wires, switches, resistors, diodes,

etc.) must have adjustable electronic properties to optimize this communication.

Akita et al. prepared a molecular wire containing a $C\equiv C$ moiety between two iron centers. The communication between the iron centers was modified by coordination of a dicobalt cluster to the $C\equiv C$ part of the wire. Fine tuning was achieved by attaching, removing, or replacing the ligands on the added cobalt system as needed, which changed the electronic properties of the Co atoms with respect to those of the Fe atoms, thus controlling the transfer of electrons between the iron centers over a path through the cobalt atoms. In contrast to the direct Fe-Fe transition mechanism for the diiron wire, the communication mechanism of the dicobalt adducts involved indirect Fe-Co-Fe electron transfer.

The mixed-valence characteristics of the compounds were studied by electrochemical and spectroscopic methods. The diiron compound belongs to Robin-Day Class III, and the dicobalt adducts have properties that place them between Class IIA and IIB. All molecular wires reported in this paper can be interconverted easily in a reversible manner.

The most important contribution of this study to the understanding of fine tuning of molecular devices is the key role played by the donor properties of the ligands attached to the cobalt fragments on the path between the two communicating iron centers. It was demonstrated that the properties of electron transfer through the [molecular wire](#) could be adjusted by tailoring the [electronic properties](#) of these ligands.

More information: Munetaka Akita, et al. Reversible, Fine Performance Tuning of an Organometallic Molecular Wire by Addition, Ligand Replacement and Removal of Dicobalt Fragments, *European Journal of Inorganic Chemistry*, 2010, No. 23, 3571-3575, dx.doi.org/10.1002/ejic.201000661

Provided by Wiley

Citation: Cobalt-controlled communication: Fine performance tuning of organometallic molecular wire (2010, September 6) retrieved 23 April 2024 from <https://phys.org/news/2010-09-cobalt-controlled-fine-tuning-organometallic-molecular.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.