

Measuring air-sea exchange of carbon dioxide in the open ocean

December 6 2010



The exchange of gases between the oceans and the atmosphere has an important influence on climate. Credit: NOC

A team led by scientists at the United Kingdom's National Oceanography Centre have measured the air-sea exchange of carbon dioxide in the open ocean at higher wind speed than anyone else has ever managed. Their findings are important for understanding how interactions between the oceans and the atmosphere influence climate.

"Evaluating the factors influencing the transfer of gases such as carbon dioxide between the [atmosphere](#) and the ocean is needed for a full understanding of Earth's climate system," explained researcher John Prytherch of the National Oceanography Centre.

The transfer of carbon dioxide across the [sea surface](#) depends on many factors and has been difficult to study over extended periods at sea. Understandably, therefore, there has been a lot of uncertainty about actual oceanic carbon dioxide fluxes, especially at high wind speeds.

To address this issue, Prytherch and his collaborators measured carbon dioxide fluxes in the North Atlantic during the High Wind Air-Sea Exchanges (HiWASE) experiment (September 2006–December 2009).

Using an autonomous system called 'Autoflux' installed on the Norwegian weather ship Polarfront, they made nearly 4,000 flux measurements, each one lasting 20 minutes. They also recorded [wind speed](#) and other variables such as seawater salinity.

"Our results include measurements made at higher mean wind speeds than previously published for the [open ocean](#)," said Prytherch: "Filling this knowledge gap is important because high wind speeds such as those experienced by the North Atlantic are expected to have a large effect on the global air-sea flux of carbon dioxide."

Despite finding high variability between individual measurements, the researchers' analyses suggest that formation of bubbles in breaking waves – whitecaps – may increase gas transfer at high wind speeds.

"Our results support the hypothesis that bubbles in whitecaps play a significant role in the global exchange of [carbon dioxide](#) and other climatically important gases between the oceans and the atmosphere," said Prytherch.

More information: Prytherch, J., Yelland, M. J., Pascal, R. W., Moat, B. I., Skjelvan, I. & Srokosz, M. A. The open ocean gas transfer velocity derived from long-term measurements of CO₂ flux. *Geophysical Research Letters* 37, L23607 (2010). [doi:10.1029/2010GL045597](https://doi.org/10.1029/2010GL045597)

Provided by National Oceanography Centre, Southampton

Citation: Measuring air-sea exchange of carbon dioxide in the open ocean (2010, December 6)
retrieved 2 May 2024 from

<https://phys.org/news/2010-12-air-sea-exchange-carbon-dioxide-ocean.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--