

Dry lake reveals evidence of southwestern 'megadroughts'

February 28 2011

There's an old saying that if you don't like the weather in New Mexico, wait five minutes. Maybe it should be amended to 10,000 years, according to new research.

In a letter published recently in the journal *Nature*, Los Alamos National Laboratory researchers and an international team of scientists report that the Southwest region of the United States undergoes "megadroughts"—warmer, more arid periods lasting hundreds of years or longer. More significantly, a portion of the research indicates that an ancient period of warming may be analogous to natural present-day [climate conditions](#). If so, a cooler, wetter period may be in store for the region, unless it is thwarted by increased concentrations of greenhouse gasses in the atmosphere that could warm the planet.

Using a long core of sediments obtained in 2004 from beneath a dry lakebed located on the Valles Caldera National Preserve—an 86,000-acre grassland located on the site of a dormant prehistoric volcano about 20 miles west of Los Alamos—the researchers were able to peer back in time into the climate as it existed between 360,000 and 550,000 years ago. Layers in the 260-foot-long sediment core were easily distinguishable, and were bounded by distinct layers of volcanic ash that allowed for very accurate dating. Researchers looked at chemical constituents trapped within the layers as well as plant and pollen debris to characterize the climate conditions of the time.

The sediment layers from beneath the South Mountain Lake covered two

"interglacial" periods. Such periods are significant because they represent a time between ice ages when warmer temperatures mimicked present-day temperatures. The ancient interglacial period, known as Marine Isotope Stage 11—MIS 11 for short—lasted about 50,000 years and included, among several periods of climatic variation, one definitive megadrought period followed by a cooler period. Prior to the study, detailed data about MIS 11 had been scarce because most of the information was gathered from Antarctic ice cores or marine sediments. The terrestrial record obtained beneath South Mountain Lake revealed a bounty of information that nicely details the ancient climate.

The oldest warm period in MIS 11 appears somewhat analogous to the present-day Holocene interglacial period, which has been ongoing for about the past 10,000 years. During MIS 11, the ancient climate warmed dramatically by about 14 degrees Fahrenheit. This warming in the wake of a preceding period of cold gave rise to an abundance of plant life and seasonally wet conditions. As warming continued, grasses and shrubs died off and lakes dried up. The ensuing drought lasted thousands of years before ending abruptly with a cooler, wetter period.

The research could indicate that the Southwest, having been through a present-day drought period that included the historic Dust Bowl, might be due for a change unless increased concentrations of greenhouse gasses interfere.

"Results from this study have implications for the development of models that could predict future megadroughts and other climate conditions in the Southwestern United States," said Jeffrey Heikoop, leader of the Los Alamos study team.

More information: *Nature* letter: www.nature.com/nature/journal/.../ull/nature09839.html

Provided by Los Alamos National Laboratory

Citation: Dry lake reveals evidence of southwestern 'megadroughts' (2011, February 28)
retrieved 27 April 2024 from

<https://phys.org/news/2011-02-lake-reveals-evidence-southwestern-megadroughts.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.