

## Silk moth's antenna inspires new nanotech tool with applications in Alzheimer's research

February 28 2011



A special coating on the nanotunnels of a silk moth's antenna is the inspiration for a similar oily layer on synthetic nanopores, tiny measurement devices. University of Michigan researchers led the development of this improved technology, and they're using it to gain new insights into Alzheimer's and other similar neurodegenerative diseases. Credit: Chris Burke

By mimicking the structure of the silk moth's antenna, University of Michigan researchers led the development of a better nanopore---a tiny tunnel-shaped tool that could advance understanding of a class of neurodegenerative diseases that includes Alzheimer's.

A paper on the work is newly published online in *Nature* 



*Nanotechnology*. This project is headed by Michael Mayer, an associate professor in the U-M departments of Biomedical Engineering and Chemical Engineering. Also collaborating are Jerry Yang, an associate professor at the University of California, San Diego and Jiali Li, an associate professor at the University of Arkansas.

Nanopores---essentially holes drilled in a silicon chip---are miniscule measurement devices that enable the study of single molecules or proteins. Even today's best nanopores clog easily, so the technology hasn't been widely adopted in the lab. Improved versions are expected to be major boons for faster, cheaper DNA sequencing and <u>protein analysis</u>

The team engineered an oily coating that traps and smoothly transports molecules of interest through nanopores. The coating also allows researchers to adjust the size of the pore with close-to-atomic precision.



A new oily coating that improves the functionality of nanopores was inspired by a similar layer in the silk moth's antenna. Nanopores are measurement devices that enable the study of single molecules or proteins. Credit: Chris Burke

"What this gives us is an improved tool to characterize biomolecules,"



Mayer said. "It allows us to gain understanding about their size, charge, shape, concentration and the speed at which they assemble. This could help us possibly diagnose and understand what is going wrong in a category of neurodegenerative disease that includes Parkinson's, Huntington's and Alzheimer's."

Mayer's "fluid <u>lipid</u> bilayer" resembles a coating on the male silk moth's antenna that helps it smell nearby female moths. The coating catches pheromone molecules in the air and carries them through nanotunnels in the <u>exoskeleton</u> to nerve cells that send a message to the bug's brain.

"These pheromones are lipophilic. They like to bind to lipids, or fat-like materials. So they get trapped and concentrated on the surface of this lipid layer in the silk moth. The layer greases the movement of the pheromones to the place where they need to be. Our new coating serves the same purpose," Mayer said.

One of Mayer's main research tracks is to study proteins called amyloidbeta peptides that are thought to coagulate into fibers that affect the brain in Alzheimer's. He is interested in studying the size and shape of these fibers and how they form.

"Existing techniques don't allow you to monitor the process very well. We wanted to see the clumping of these peptides using nanopores, but every time we tried it, the pores clogged up," Mayer said. "Then we made this coating, and now our idea works."





This is a closeup of a nanotunnel in a silk moth's antenna. Pheromones travel through these tunnels, telling the male moth that a female is nearby. Credit: Chris Burke

To use nanopores in experiments, researchers position the pore-pricked chip between two chambers of saltwater. They drop the molecules of interest into one of the chambers and send an electric current through the pore. As each molecule or protein passes through the pore, it changes the pore's electrical resistance. The amount of change observed tells the researchers valuable information about the molecule's size, electrical charge and shape.

Due to their small footprint and low power requirements, nanopores could also be used to detect biological warfare agents.

A research highlight on this work will appear in an upcoming edition of Nature. The paper is titled "Controlling protein translocation through nanopores with bio-inspired fluid walls."

More information: <a href="http://www.nature.com/nnano/journal/v">www.nature.com/nnano/journal/v</a> ... <a href="http://www.nature.com/nnano/journal/v">http://www.nature.com/nnano/journal/v</a> ...



## Provided by University of Michigan

Citation: Silk moth's antenna inspires new nanotech tool with applications in Alzheimer's research (2011, February 28) retrieved 28 April 2024 from <u>https://phys.org/news/2011-02-silk-moth-antenna-nanotech-tool.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.