

Tuning graphene film so it sheds water

February 1 2011

Windshields that shed water so effectively that they don't need wipers. Ship hulls so slippery that they glide through the water more efficiently than ordinary hulls.

These are some of the potential applications for graphene, one of the hottest <u>new materials</u> in the field of <u>nanotechnology</u>, raised by the research of James Dickerson, assistant professor of physics at Vanderbilt.

Dickerson and his colleagues have figured out how to create a freestanding film of graphene oxide and alter its <u>surface roughness</u> so that it either causes <u>water</u> to bead up and run off or causes it to spread out in a thin layer.

"Graphene films are transparent and, because they are made of carbon, they are very inexpensive to make," Dickerson said. "The technique that we use can be rapidly scaled up to produce it in commercial quantities."

His approach is documented in an article published online by the journal *ACS Nano* on Nov. 26.

Graphene is made up of sheets of <u>carbon atoms</u> arranged in rings – something like molecular chicken wire. Not only is this one of the thinnest materials possible, but it is 10 times stronger than steel and conducts electricity better at room temperature than any other known material. Graphene's exotic properties have attracted widespread scientific interest, but Dickerson is one of the first to investigate how it



interacts with water.

Many scientists studying graphene make it using a dry method, called "mechanical cleavage," that involves rubbing or scraping graphite against a hard surface. The technique produces sheets that are both extremely thin and extremely fragile. Dickerson's method can produce sheets equally as thin but considerable stronger than those made by other techniques. It is already used commercially to produce a variety of different coatings and ceramics. Known as electrophoretic deposition, this "wet" technique combines an electric field within a liquid medium to create nanoparticle films that can be transferred to another surface.

Dickerson and his colleagues found that they could change the manner in which the graphene oxide particles assemble into a film by varying the pH of the liquid medium and the electric voltage used in the process. One pair of settings lay down the particles in a "rug" arrangement that creates a nearly atomically smooth surface. A different pair of settings causes the particles to clump into tiny "bricks" forming a bumpy and uneven surface. The researchers determined that the rug surface causes water to spread out in a <u>thin layer</u>, while the brick surface causes water to bead up and run off.

Dickerson is pursuing an approach that could create film that enhances these water-associated properties, making them even more effective at either spreading out water or causing it to bead up and run off. There is considerable academic and commercial interest in the development of coatings with these enhanced properties, called super-hydrophobic and super-hydrophilic. Potential applications range from self-cleaning glasses and clothes to antifogging surfaces to corrosion protection and snowload protection on buildings. However, effective, low-cost and durable coatings have yet to make it out of the laboratory.

Dickerson's idea is to apply his basic procedure to "fluorographene" – a



fluorinated version of graphene that is a two-dimensional version of Teflon – recently produced by Kostya S. Novoselov and Andre K. Geim at the University of Manchester, who received the 2010 Nobel Prize for the discovery of graphene. Normal fluorographene under tension should be considerably more effective in repelling water than graphene oxide. So there is a good chance a "brick" version and a "rug" version would have extreme water-associated effects, Dickerson figures.

Provided by Vanderbilt University

Citation: Tuning graphene film so it sheds water (2011, February 1) retrieved 28 April 2024 from <u>https://phys.org/news/2011-02-tuning-graphene.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.