

Blueberries may inhibit development of fat cells

April 10 2011

The benefits of blueberry consumption have been demonstrated in several nutrition studies, more specifically the cardio-protective benefits derived from their high polyphenol content. Blueberries have shown potential to have a positive effect on everything from aging to metabolic syndrome.

Recently, a researcher from Texas Woman's University (TWU) in Denton, TX, examined whether <u>blueberries</u> could play a role in reducing one of the world's greatest health challenges: obesity. Shiwani Moghe, MS, a graduate student at TWU, decided to evaluate whether blueberry polyphenols play a role in adipocyte differentiation, the process in which a relatively unspecialized cell acquires specialized features of an adipocyte, an animal <u>connective tissue</u> cell specialized for the synthesis and storage of fat. Plant polyphenols have been shown to fight adipogenesis, which is the development of <u>fat cells</u>, and induce lipolysis, which is the breakdown of lipids/fat. Moghe will present her research at the Experimental Biology 2011 meeting for the American Society for Nutrition on Sunday, April 10.

"I wanted to see if using blueberry polyphenols could inhibit obesity at a molecular stage," said Moghe. The study was performed in tissue cultures taken from mice. The polyphenols showed a dose-dependent suppression of adipocyte differentiation. The <u>lipid</u> content in the control group was significantly higher than the content of the tissue given three doses of blueberry polyphenols. The highest dose of blueberry polyphenols yielded a 73% decrease in lipids; the lowest dose showed a



27% decrease.

"We still need to test this dose in humans, to make sure there are no adverse effects, and to see if the doses are as effective. This is a burgeoning area of research. Determining the best dose for humans will be important," said Moghe. "The promise is there for blueberries to help reduce adipose tissue from forming in the body."

These preliminary results contribute more items to the laundry list of benefits related to blueberries, which have already been shown to mitigate health conditions like cardiovascular disease and <u>metabolic</u> <u>syndrome</u>.

Provided by Federation of American Societies for Experimental Biology

Citation: Blueberries may inhibit development of fat cells (2011, April 10) retrieved 24 April 2024 from <u>https://phys.org/news/2011-04-blueberries-inhibit-fat-cells.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.