

# Darkness stifles reproduction of surface-dwelling fish

May 11 2011

---



A cave-dwelling Atlantic molly doesn't mind the darkness, but its surface-dwelling cousins have trouble reproducing and sustaining life in the dark. Credit: Rudiger Riesch

There's a reason to be afraid of the dark. Fish accustomed to living near the light of the water's surface become proverbial "fish out of water" when they move to dark environments like those found in caves, according to a study from North Carolina State University.

In research published this week in [Biology Letters](#), a Royal Society scientific journal, NC State post-doctoral researcher Rüdiger Riesch and colleagues found that Atlantic molly females from regular surface streams have a difficult time adjusting to cavelike conditions. Surface female fish had trouble reproducing in the dark conditions, study results show. In addition, many surface-dwelling females introduced to dark conditions – surprisingly, according to the researchers – suffered from

high incidents of stress-induced bacterial columnaris disease, or "fin rot," which causes patchy lesions on the bodies of the fish.

"Permanent darkness severely hampers reproduction in surface-dwelling females," Riesch says. "But this study also shows that the successful colonization of a subterranean habitat must have been a rare event for Atlantic mollies."

The study was designed to provide an answer to why Atlantic mollies – their scientific name is *Poecilia mexicana* – living close to each other in and near a cave in southern Mexico can evolve in different ways. These population differences are normally attributed to geographic separation – like mountain ridges or some other physical barrier – but no physical barrier exists in or around the cave where these Atlantic mollies live.

In the study, the researchers placed some Atlantic mollies in cavelike total darkness while others received a "normal day" of 12 hours of light and 12 hours of darkness.

Most of the cave-dwelling fish of either sex as well as male surface-dwelling fish performed well in both light and darkness. Surface-dwelling females, however, did not breed well or maintain good health in the darkness.

One explanation for the results, Riesch says, has to do with the amount of resources fish have available for reproduction. A fish that has evolved in light has difficulties navigating and finding food in [darkness](#), resulting in reproductive failure.

"Light and dark can completely disrupt life and reproduction for certain fish, and specific key adaptations are necessary to survive in [caves](#)," Riesch says. "This study may be one answer to why [fish](#) of the same species living side by side can be so different."

**More information:** "Speciation in caves: experimental evidence that permanent darkness promotes reproductive isolation" Rüdiger Riesch, et al. Online May 11, 2011, in *Biology Letters*

### **Abstract**

Divergent selection through biotic factors like predation or parasitism can promote reproductive isolation even in the absence of geographical barriers. On the other hand, evidence for a role of adaptation to abiotic factors during ecological speciation in animals is scant. In particular, the role played by perpetual darkness in establishing reproductive isolation in cave animals (trogllobites) remains elusive. We focused on two reproductively isolated ecotypes (surface- and cave-dwelling) of the widespread livebearer *Poecilia mexicana*, and raised offspring of wild-caught females to sexual maturity in a 12-month common-garden experiment. Fish were reared in light or darkness combined with high- or low-food conditions. Females, but not males, of the surface ecotype suffered from almost complete reproductive failure in darkness, especially in the low-food treatment. Furthermore, surface fish suffered from a significantly higher rate of spontaneous, stress-related infection with bacterial columnaris disease. This experimental evidence for strong selection by permanent darkness on non-adapted surface-dwelling animals adds depth to our understanding of the selective forces establishing and maintaining reproductive isolation in cave faunas.

Provided by North Carolina State University

Citation: Darkness stifles reproduction of surface-dwelling fish (2011, May 11) retrieved 23 April 2024 from

<https://phys.org/news/2011-05-darkness-stifles-reproduction-surface-dwelling-fish.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.