


Light-emitting nanocrystal diodes go ultraviolet: Biomedical device potential for robust, implantable product

February 24 2012



Embedding nanocrystals in glass provides a way to create UV-producing LEDs for biomedical applications. Credit: Los Alamos National Laboratory.

(PhysOrg.com) -- A multinational team of scientists has developed a process for creating glass-based, inorganic light-emitting diodes (LEDs) that produce light in the ultraviolet range. The work, reported this week in the online *Nature Communications*, is a step toward biomedical devices with active components made from nanostructured systems.

LEDs based on solution-processed inorganic nanocrystals have promise for use in environmental and biomedical diagnostics, because they are cheap to produce, robust, and chemically stable. But development has been hampered by the difficulty of achieving ultraviolet emission. In their paper, Los Alamos National Laboratory's Sergio Brovelli in collaboration with the research team lead by Alberto Paleari at the University of Milano-Bicocca in Italy describe a fabrication process that overcomes this problem and opens the way for integration in a variety of applications.

The world needs light-emitting devices that can be applied in biomedical diagnostics and medicine, Brovelli said, either as active lab-on-chip diagnostic platforms or as light sources that can be implanted into the body to trigger some photochemical reactions. Such devices could, for example, selectively activate light-sensitive drugs for better medical treatment or probe for the presence of fluorescent markers in medical diagnostics. These materials would need to be fabricated cheaply, on a large scale, and integrated into existing technology.

The paper describes a new glass-based material, able to emit light in the [ultraviolet spectrum](#), and be integrated onto [silicon chips](#) that are the principal components of current electronic technologies.

The new devices are inorganic and combine the chemical inertness and [mechanical stability](#) of glass with the property of electric conductivity and [electroluminescence](#) (i.e. the ability of a material to emit light in response to the passage of an electric current).

As a result, they can be used in [harsh environments](#), such as for immersion into physiologic solutions, or by implantation directly into the body. This was made possible by designing a new synthesis strategy that allows fabrication of all inorganic LEDs via a wet-chemistry approach, i.e. a series of simple chemical reactions in a beaker. Importantly, this

approach is scalable to industrial quantities with a very low start-up cost. Finally, they emit in the ultraviolet region thanks to careful design of the nanocrystals embedded in the glass.

In traditional light-emitting diodes, light emission occurs at the sharp interface between two semiconductors. The oxide-in-oxide design used here is different, as it allows production of a material that behaves as an ensemble of semiconductor junctions distributed in the glass.

This new concept is based on a collection of the most advanced strategies in nanocrystal science, combining the advantages of nanometric materials consisting of more than one component. In this case the active part of the device consists of tin dioxide nanocrystals covered with a shell of tin monoxide embedded in standard glass: by tuning the shell thickness is it possible to control the electrical response of the whole material.

More information: The paper is titled, "Fully inorganic oxide-in-oxide ultraviolet nanocrystal light emitting devices," and can be downloaded online on *Nature Communications* website:

[dx.doi.org/10.1038/ncomms1683](https://doi.org/10.1038/ncomms1683)

Provided by Los Alamos National Laboratory

Citation: Light-emitting nanocrystal diodes go ultraviolet: Biomedical device potential for robust, implantable product (2012, February 24) retrieved 27 April 2024 from

<https://phys.org/news/2012-02-light-emitting-nanocrystal-diodes-ultraviolet-biomedical.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.