

Meteorites reveal another way to make life's components

March 9 2012, by Bill Steigerwald



A meteorite is analyzed in the study at its collection site in Antarctica. Credit: Antarctic Search for Meteorites program, Case Western Reserve University

(PhysOrg.com) -- Creating some of life's building blocks in space may be a bit like making a sandwich – you can make them cold or hot, according to new NASA research. This evidence that there is more than one way to make crucial components of life increases the likelihood that life emerged elsewhere in the Universe, according to the research team, and gives support to the theory that a "kit" of ready-made parts created in space and delivered to Earth by impacts from meteorites and comets assisted the origin of life.

In the study, scientists with the Astrobiology Analytical Laboratory at NASA's Goddard Space Flight Center in Greenbelt, Md., analyzed

samples from fourteen carbon-rich meteorites with minerals that indicated they had experienced high temperatures – in some cases, over 2,000 degrees Fahrenheit. They found amino acids, which are the [building blocks](#) of proteins, used by life to speed up chemical reactions and build structures like hair, skin, and nails.

Previously, the Goddard team and other researchers have found amino acids in carbon-rich meteorites with mineralogy that revealed the amino acids were created by a relatively low-temperature process involving water, aldehyde and ketone compounds, ammonia, and cyanide called "Strecker-cyanohydrin synthesis."

"Although we've found amino acids in carbon-rich meteorites before, we weren't expecting to find them in these specific groups, since the high temperatures they experienced tend to destroy amino acids," said Dr. Aaron Burton, a researcher in NASA's Postdoctoral Program stationed at NASA Goddard. "However, the kind of amino acids we discovered in these meteorites indicates that they were produced by a different, high-temperature process as their parent asteroids gradually cooled down." Burton is lead author of a paper on this discovery appearing March 9 in *Meteoritics and Planetary Science*.

In the new research, the team hypothesizes the amino acids were made by a high-temperature process involving gas containing hydrogen, carbon monoxide, and nitrogen called "Fischer-Tropsch" –type reactions. They occur at temperatures ranging from about 200 to 1,000 degrees Fahrenheit with minerals that facilitate the reaction. These reactions are used to make synthetic lubricating oil and other hydrocarbons; and during World War II, they were used to make gasoline from coal in an attempt to overcome a severe fuel shortage.

Researchers believe the parent asteroids of these meteorites were heated to high temperatures by collisions or the decay of radioactive elements.

As the asteroid cooled, Fischer-Tropsch-type (FTT) reactions could have happened on mineral surfaces utilizing gas trapped inside small pores in the asteroid.

FTT reactions may even have created amino acids on dust grains in the solar nebula, the cloud of gas and dust that collapsed under its gravity to form the solar system. "Water, which is two hydrogen atoms bound to an oxygen atom, in liquid form is considered a critical ingredient for life. However, with FTT reactions, all that's needed is hydrogen, carbon monoxide, and nitrogen as gases, which are all very common in space. With FTT reactions, you can begin making some prebiotic components of life very early, before you have asteroids or planets with liquid water," said Burton.

In the laboratory, FTT reactions produce amino acids, and can show a preference for making straight-chain molecules. "In almost all of the 14 meteorites we analyzed, we found that most of the amino acids had these straight chains, suggesting FTT reactions could have made them," said Burton.

It's possible that both Strecker and FTT processes could have contributed to the supply of amino acids in other meteorites. However, evidence for the FTT reaction would tend to get lost because FTT reactions create them in much lower abundances than Strecker synthesis. If an asteroid with an initial amino acid supply from FTT reactions was later altered by water and Strecker synthesis, it would overwrite the small contribution from the FTT reactions, according to the team.

The team believes the majority of the amino acids they found in the 14 meteorites were truly created in space, and not the result of contamination from terrestrial life, for a few reasons. First, the amino acids in life (and in contamination from industrial products) are frequently linked together in long chains, either as proteins in biology or

polymers in industrial products. Most of the amino the amino acids discovered in the new research were not bound up in proteins or polymers. In addition, the most abundant amino acids found in biology are those that are found in proteins, but such "proteinogenic" amino acids represent only a small percentage of the amino acids found in the meteorites. Finally, the team analyzed a sample of ice taken from underneath one of the meteorites. This ice had only trace levels of amino acids suggesting the meteorites are relatively pristine.

The experiments showing FTT reactions produce amino acids were performed over 40 years ago. The products have not been analyzed with modern techniques, so the exact distributions of amino acid products have not been determined. The team wants to test FTT reactions in the laboratory using a variety of ingredients and conditions to see if any produce the types of amino acids with the abundances they found in the 14 meteorites.

The team also wants to expand their search for amino acids to all known groups of carbon-rich meteorites. There are eight different groups of carbon-rich meteorites, called "carbonaceous chondrites." The new work adds two additional groups to the three previously known to have produced amino acids, leaving three groups to be tested. These three remaining groups have a high metal content as well as evidence for [high temperatures](#). "We'll see if they have amino acids also, and hopefully gain some insight into how they were made," says Burton. When the team began looking for amino acids in carbon-rich meteorites, it was considered somewhat of a long shot, but now: "We would be surprised if we didn't discover [amino acids](#) in a carbon-rich [meteorite](#)," says Burton.

Provided by NASA's Goddard Space Flight Center

Citation: Meteorites reveal another way to make life's components (2012, March 9) retrieved 2

May 2024 from <https://phys.org/news/2012-03-meteorites-reveal-life-components.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.