


# X-rays reveal molecular arrangements for better printable electronics

April 25 2012

---



This is an image of a printed electronics system. Credit: Peter Allen

By employing powerful X-rays that can see down to the molecular level of organic materials used in printable electronics, researchers are now able to determine why some materials perform better than others. Their findings, published in the journal *Nature Materials*, could lead to cheaper, more efficient printable electronic devices.

"This work is exciting because it helps reveal in new detail how we can achieve high performance transistors and [solar cells](#) with polymers," said UC Santa Barbara professor of materials Michael Chabinyc, who, with

UCSB chemistry graduate student Justin Cochran and North Carolina State [physicists](#) Harald Ade and Brian Collins, set out to find out which materials and which processing steps worked better, in what is still a largely trial-and-error process for manufacturers of printable electronics. This effort also involved collaboration with an international team, including researchers from Monash University in Australia and Universität Erlangen-Nürnberg in Germany.

Printed electronics is a process that employs fairly common printing methods to deposit inks containing organic conductive molecules onto surfaces, to creating circuitry for a variety of [electronic devices](#), including photovoltaics, displays, and even luminescent clothing. The process is faster and cheaper than conventional production techniques for the same products, and could pave the way toward making these devices more accessible to consumers.

However, until recently, the process of selecting these organic materials — and what steps to take in order to improve their performance — was something of a mystery. Some materials and treatments worked better than others, and the researchers set out to find out why.

The researchers developed a technique that used powerful [X-rays](#) to peer into these organic materials at the molecular level. They found that the performance of the material had to do with its molecular alignment, and that this alignment was controlled by simple methods such as heating and molecular interactions at surface levels.

"In transistors, we found that as the alignment between molecules increased, so did the performance," Collins said. "In the case of the solar cells, we discovered alignment of molecules at interfaces in the device, which may be the key to more efficient harvesting of light. For both, this was the first time anyone had been able to really look at what was happening at the molecular level."

The researchers hope that the new X-ray technique will provide a better perspective into the nature of organic materials used in printed electronics.

"We're hoping that this technique will give researchers and manufacturers greater insight into the fundamentals of these materials," Collins said. "Understanding how these materials work can only lead to improved performance and better commercial viability."

Provided by University of California - Santa Barbara

Citation: X-rays reveal molecular arrangements for better printable electronics (2012, April 25) retrieved 23 May 2024 from <https://phys.org/news/2012-04-x-rays-reveal-molecular-printable-electronics.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--