

World's most powerful X-ray laser beam refined to scalpel precision

August 12 2012



To create a precise X-ray band and make the Linac Coherent Light Source even more “laser-like,” researchers installed this chamber with a slice of diamond crystal. The new hardware sits halfway down the 130-meter bank of magnets where the X-rays are generated. Credit: Photo by Matt Beardsley, SLAC National Accelerator Laboratory


With a thin sliver of diamond, scientists at the U.S. Department of Energy's (DOE) SLAC National Accelerator Laboratory have transformed the Linac Coherent Light Source (LCLS) into an even more precise tool for exploring the nanoworld. The improvements yield laser pulses focused to higher intensity in a much narrower band of X-ray wavelengths, and may enable experiments that have never before been possible.

In a process called "self-seeding," the diamond filters the laser beam to a

single X-ray color, which is then amplified. Like trading a hatchet for a scalpel, the advance will give researchers more control in studying and manipulating matter at the [atomic level](#) and will deliver sharper images of materials, molecules and chemical reactions.

"The more control you have, the finer the details you can see," said Jerry Hastings, a SLAC scientist and co-author on the research, published this week in [Nature Photonics](#). "People have been talking about self-seeding for nearly 15 years. The method we incorporated at SLAC was proposed in 2010 by Gianluca Geloni, Vitali Kocharyan and Evgeni Saldin of the European XFEL and DESY research centers in Germany. When our team from SLAC and Argonne National Laboratory built it, we were surprised by how simple, robust and cost-effective the engineering turned out to be." Hastings added that laboratories around the world are already planning to incorporate this important advance into their own X-ray laser facilities.

Self-seeding has the potential to produce X-ray pulses with significantly higher intensity than the current LCLS performance. The increased intensity in each pulse could be used to probe deep into [complex materials](#) to help answer questions about exotic substances like [high-temperature superconductors](#) or intricate [electronic states](#) like those found in topological insulators.



The LCLS's new self-seeding improvements yield laser pulses focused to higher intensity in a much narrower band of X-ray wavelengths, as you can see in these spectrographs comparing a normal SASE (self-amplified spontaneous emission) pulse (left) and a seeded one (right). The results promise to speed research discoveries and may enable experiments that have never before been possible. Credit: Graph from J. Amman, et al. adapted by Greg Stewart, SLAC National Accelerator Laboratory

The LCLS generates its [laser beam](#) by accelerating bunches of electrons to nearly the speed of light and setting them on a zig-zag path with a series of magnets. This forces the electrons to emit X-rays, which are gathered into laser pulses that are a billion times brighter than any available before, and fast enough to scan samples in quadrillionths of a second.

Without self-seeding these X-ray [laser pulses](#) contain a range of wavelengths (or colors) in an unpredictable pattern, not all of which experimenters can use. Until now, creating a narrower wavelength band at LCLS meant subtracting the unwanted wavelengths, resulting in a substantial loss of intensity.

To create a precise X-ray wavelength band and make the LCLS even more "laser-like," researchers installed a slice of diamond crystal halfway down the 130-meter bank of magnets where the X-rays are generated.

Producing the narrower [wavelength band](#) is just the beginning. "The resulting pulses could pack up to 10 times more intensity when we finish optimizing the system and add more undulators," said Zhirong Huang, a SLAC accelerator physicist and co-author, who has been a major contributor to the project.

LCLS has already begun accepting proposals to use self-seeding for future experiments.

The first tests of the LCLS self-seeding system have generated intense excitement among scientists the world over. Representatives from other X-ray laser facilities, including Swiss FEL, SACLA in Japan and the European XFEL, came to help, and also learn how to implement it at their own sites.

According to Paul Emma, a co-author who was a key figure in the original commissioning of the LCLS and in implementing self-seeding, "the entire group of observers was smiling from ear to ear." Emma, now working at Lawrence Berkeley National Lab, has a history of making tough jobs look easy, but he would only say, "I was very happy to see it work."

Provided by SLAC National Accelerator Laboratory

Citation: World's most powerful X-ray laser beam refined to scalpel precision (2012, August 12) retrieved 6 May 2024 from

<https://phys.org/news/2012-08-world-powerful-x-ray-laser-refined.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.