


Researchers find surprising similarities between genetic and computer codes

March 29 2013



The package dependency network of Firefox shows the complex nature of technological systems. Picture credit: Dependency network of Firefox from Ubuntu Linux. Image created with the software Cytoscape. Credit: Tin Yau Pang

(Phys.org) —The term "survival of the fittest" refers to natural selection in biological systems, but Darwin's theory may apply more broadly than that. New research from the U.S. Department of Energy's Brookhaven National Laboratory shows that this evolutionary theory also applies to technological systems.

Computational biologist Sergei Maslov of Brookhaven National Laboratory worked with graduate student Tin Yau Pang from Stony



Brook University to compare the frequency with which components "survive" in two complex systems: bacterial genomes and operating systems on Linux computers. Their work is published in the *Proceedings of the National Academy of Sciences*.

Maslov and Pang set out to determine not only why some specialized genes or computer programs are very common while others are fairly rare, but to see how many components in any system are so important that they can't be eliminated. "If a bacteria genome doesn't have a particular gene, it will be dead on arrival," Maslov said. "How many of those genes are there? The same goes for large software systems. They have multiple components that work together and the systems require just the right components working together to thrive.""

Using data from the massive sequencing of bacterial genomes, now a part of the DOE <u>Systems Biology</u> Knowledgebase (KBase), Maslov and Pang examined the frequency of usage of crucial bits of genetic code in the <u>metabolic processes</u> of 500 <u>bacterial species</u> and found a surprising similarity with the frequency of installation of 200,000 Linux packages on more than 2 million individual computers. Linux is an <u>open source</u> <u>software</u> collaboration that allows designers to modify source code to create programs for public use.

The most frequently used components in both the biological and computer systems are those that allow for the most descendants. That is, the more a component is relied upon by others, the more likely it is to be required for full functionality of a system.

It may seem logical, but the surprising part of this finding is how universal it is. "It is almost expected that the frequency of usage of any component is correlated with how many other components depend on it," said Maslov. "But we found that we can determine the number of crucial components – those without which other components couldn't function –



by a simple calculation that holds true both in biological systems and computer systems."

For both the bacteria and the computing systems, take the square root of the interdependent components and you can find the number of key components that are so important that not a single other piece can get by without them.

Maslov's finding applies equally to these complex networks because they are both examples of open access systems with components that are independently installed. "Bacteria are the ultimate BitTorrents of biology," he said, referring to a popular file-sharing protocol. "They have this enormous common pool of genes that they are freely sharing with each other. Bacterial systems can easily add or remove genes from their genomes through what's called horizontal gene transfer, a kind of file sharing between bacteria," Maslov said.

The same goes for Linux operating systems, which allow free installation of components built and shared by a multitude of designers independently of one another. The theory wouldn't hold true for, say, a Windows operating system, which only runs proprietary programs.

More information: Universal distribution of component frequencies in biological and technological systems, <u>www.pnas.org/content/early/201</u> ... /1217795110.abstract

Provided by Brookhaven National Laboratory

Citation: Researchers find surprising similarities between genetic and computer codes (2013, March 29) retrieved 24 April 2024 from <u>https://phys.org/news/2013-03-similarities-genetic-codes.html</u>



This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.