

## **Improving ultrasound imaging**

## March 5 2013

Ultrasound technology could soon experience a significant upgrade that would enable it to produce high-quality, high-resolution images, thanks to the development of a new key material by a team of researchers that includes a professor in the Department of Biomedical Engineering at Texas A&M University.

The material, which converts <u>ultrasound waves</u> into optical signals that can be used to produce an image, is the result of a collaborative effort by Texas A&M Professor Vladislav Yakovlev and researchers from King's College London, The Queen's University of Belfast and the University of Massachusetts Lowell. Their findings appear in the current issue of *Advanced* <u>Materials</u>.

The engineered material, known as a "metamaterial," offers significant advantages over conventional ultrasound technology, which generates images by converting ultrasound waves into electrical signals, Yakovlev explains. Although that technology has advanced throughout the years – think of the improvement in sonogram images – it is still largely constrained by bandwidth and sensitivity limitations, he says. These limitations, he adds, have been the chief obstacle when it comes to producing high-quality images that can serve as powerful diagnostic tools.

The metamaterial developed by Yakovlev and his colleagues is not subject to those limitations, primarily because it converts ultrasound waves into optical signals rather than electrical ones. The optical processing of the signal does not limit the bandwidth or sensitivity of the



transducer (converter) – and that's important for producing highly detailed images, Yakovlev says.

"A high bandwidth allows you to sample the change of distance of the acoustic waves with a high precision," Yakovlev notes. "This translates into an image that shows greater detail. Greater sensitivity enables you to see deeper in tissue, suggesting we have the potential to generate images that might have previously not been possible with conventional ultrasound technology."

In other words, this new material may enable ultrasound devices to see what they haven't yet been able to see. That advancement could significantly bolster a technology that is employed in a variety of biomedical applications. In addition to being used for visualizing fetuses during routine and emergency care, ultrasound is used for diagnostic purposes in incidents of trauma and even as a means of breaking up tissue and accelerating the effects of drugs therapies.

While Yakovlev's research is not yet ready for integration into <u>ultrasound technology</u>, it has successfully demonstrated how conventional technology can be substantially improved by using the newly engineering material created by his team, he notes.

The material, he notes, consists of golden nanorods embedded in a polymer known as polypyrrole. An <u>optical signal</u> is sent into this material where it interacts with and is altered by incoming ultrasound waves before passing through the material. A detection device would then read the altered optical signal, analyzing the changes in its optical properties to process a higher resolution image, Yakovlev explains.

"We developed a material that would enable optical signal processing of <u>ultrasound</u>," Yakovlev says. "Nothing like this material exists in nature so we engineered a material that would provide the properties we



needed. It has greater sensitivity and broader bandwidth. We can go from 0-150 MHz without sacrificing the sensitivity. Current technology typically experiences a substantial decline in sensitivity around 50 MHz.

"This metamaterial can efficiently convert an acoustic wave into an optical signal without limiting the bandwidth of the transducer, and its potential biomedical applications represent the first practical implementation of this metamaterial."

Provided by Texas A&M University

Citation: Improving ultrasound imaging (2013, March 5) retrieved 20 April 2024 from <u>https://phys.org/news/2013-03-ultrasound-imaging.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.