

Life on other planets could be far more widespread, study finds

January 7 2014



Planets previously considered uninhabitable may be able to sustain life according to research from the University of Aberdeen

(Phys.org) —Earth-sized planets can support life at least ten times further away from stars than previously thought, according to academics at the University of Aberdeen.

A new paper published in *Planetary and Space Science* claims cold rocky planets previously considered uninhabitable may actually be able to support [life](#) beneath the surface.

The team, which included academics from the University of St Andrews, challenge the traditional 'habitable zone' – i.e. the area of space around a star, or sun, which can support life – by taking into consideration life living deep below the ground.

"The traditional habitable zone is also known as the Goldilocks zone," explains PhD student Sean McMahan. "A planet needs to be not too close to its sun but also not too far away for [liquid water](#) to persist, rather than boiling or freezing, on the surface.

"But that theory fails to take into account life that can exist beneath a planet's surface. As you get deeper below a planet's surface, the temperature increases, and once you get down to a temperature where liquid water can exist – life can exist there too."

The team created a computer model that estimates the temperature below the surface of a planet of a given size, at a given distance from its star.

"The deepest known life on Earth is 5.3 km below the surface, but there may well be life even 10 km deep in places on Earth that haven't yet been drilled.

"Using our computer model we discovered that the habitable zone for an Earth-like planet orbiting a sun-like star is about three times bigger if we include the top five kilometres below the planet surface.

"The model shows that liquid water, and as such life, could survive 5km below the Earth's surface even if the Earth was three times further away

from the sun than it is just now.

"If we go deeper, and consider the top 10 km below the Earth's surface, then the habitable zone for an Earth-like planet is 14 times wider."

The current habitable zone for our solar system extends out as far as Mars, but this re-drawn habitable zone would see the zone extend out further than Jupiter and Saturn. The findings also suggest that many of the so-called "rogue" planets drifting around in complete darkness could actually be habitable.

"Rocky planets a few times larger than the Earth could support liquid water at about 5 km below the surface even in interstellar space (i.e. very far away from a star), even if they have no atmosphere because the larger the planet, the more heat they generate internally.

"It has been suggested that the planet Gliese 581 d, which is 20 light years away from Earth in the constellation Libra, may be too cold for liquid water at the surface. However, our model suggests that it is very likely to be able to support liquid water less than 2 km below the surface, assuming it is Earth-like."

The significance of the subsurface is further illustrated by another paper published by the same team which suggests there could be more life below the surface of the continents on Earth than there is below the seafloor.

McMahon hopes the studies will encourage other researchers to consider how life on other planets might be detected.

"The results suggest life may occur much more commonly deep within planets and moons than on their surfaces. This means it might be worth looking for signs of life outside conventional habitable zones. I hope

people will study the ways in which life below the surface might reveal itself. Because it's not unimaginable that there might be signs at the surface that life exists deep below.

"The surfaces of rocky [planets](#) and moons that we know of are nothing like Earth. They're typically cold and barren with no atmosphere or a very thin or even corrosive atmosphere. Going below the surface protects you from a whole host of unpleasant conditions on the surface. So the subsurface [habitable zone](#) may turn out to be very important. Earth might even be unusual in having life on the [surface](#)."

Provided by University of Aberdeen

Citation: Life on other planets could be far more widespread, study finds (2014, January 7) retrieved 18 April 2024 from <https://phys.org/news/2014-01-life-planets-widespread.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.