


Chemical reactions in artificial cell-scale systems show surprising diversity

February 18 2014



A complex oscillating reaction running in micro droplets as reaction vessels shows surprising variety in terms of period, amplitude and phase. With a fluorescent dye integrated into one of the reaction steps, the team of scientists from Technische Universitaet Muenchen and the University of California (Pasadena and Riverside) were able to investigate the reactions. Credit: Maximilian Weitz / Technische Universitaet Muenchen

In the future, an entire chemistry lab could be accommodated in a tiny little droplet. While simple reactions already work in these simplest

models of an artificial cell now a group of scientists of the Cluster of Excellence Nanosystems Initiative Munich (NIM) have established and investigated for the first time a complex biochemical system. They discovered a surprising diversity.

An almost infinite number of complex and interlinked reactions take place in a biological cell. In order to be able to better investigate these networks, scientists led by Professor Friedrich Simmel, Chair of Systems Biophysics and Nano Biophysics at the Technische Universität München (TUM) try to replicate them with the necessary components in a kind of artificial cell. This is also motivated by the thought of one day using such single-cell systems for example as "nanofactories" for the production of complex organic substances or biomaterials.

All such experiments have so far predominantly worked with very simple reactions, however. NIM Professor Friedrich Simmel and his team have now for the first time managed to let a more complex biochemical reaction take place in tiny droplets of only a few micrometers in size. Together with co-authors from the University of California Riverside and the California Institute of Technology in Pasadena, USA, the scientists are presenting their findings in the current edition of *Nature Chemistry*.

Shaking once – investigating thousands of times

The experiment is conducted by putting an aqueous reaction solution into oil and shaking the mixture vigorously. The result is an emulsion consisting of thousands of droplets. Employing only a tiny amount of material, the scientists have thus found a cost-efficient and quick way of setting up an extremely large number of experiments simultaneously.

As a test system, the researchers chose a so-called biochemical oscillator. This involves several reactions with DNA and RNA, which take place

repetitively one after the other. Their rhythm becomes visible because in one step two DNA strands bind to each other in such a way that a fluorescent dye shines. This regular blinking is then recorded with special cameras.

Small droplets – huge differences

In the first instance, Friedrich Simmel and his colleagues intended to investigate the principal behavior of a complex reaction system if scaled down to the size of a cell. In addition, they specifically wondered if all droplet systems displayed an identical behavior and what factors would cause possible differences.

Their experiments showed that the oscillations in the individual droplets differed strongly, that is to say, much stronger than might have been expected from a simple statistical model. It was above all evident that small drops display stronger variations than large ones. "It is indeed surprising that we could witness a similar variability and individuality in a comparatively simple chemical system as is known from biological cells", explains Friedrich Simmel the results.

Thus, it is currently not possible to realize systems which are absolutely identical. This de facto means that researchers have to either search for ways to correct these variations or factor them in from the start. On the other hand, the numerous slightly differing systems could also be used specifically to pick out the one desired, optimally running set-up from thousands of systems.

Investigating complex biosynthetic systems in artificial cells opens up many other questions, as well. In a next step, Friedrich Simmel plans to address the underlying theoretical models: "The highly parallel recording of the emulsion droplets enabled us to acquire plenty of interesting data. Our goal is to use these data to review and improve the theoretical

models of [biochemical reaction](#) networks at small molecule numbers."

More information: "Diversity in the dynamical behavior of a compartmentalized programmable biochemical oscillator" by Maximilian Weitz, Jongmin Kim, Korbinian Kapsner, Erik Winfree, Elisa Franco, Friedrich C. Simmel. *Nature Chemistry*, Advance Online Publication: February 16, 2014. www.nature.com/nchem/journal/v...full/nchem.1869.html

Provided by Technical University Munich

Citation: Chemical reactions in artificial cell-scale systems show surprising diversity (2014, February 18) retrieved 3 May 2024 from <https://phys.org/news/2014-02-chemical-reactions-artificial-cell-scale-diversity.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.