

Biologists move 500 red-legged frog eggs to mountain wetlands

March 17 2014

Federal biologists clad in waders and armed with long-handled nets this week moved hundreds of red-legged frog eggs from a San Fernando Valley stream to carefully selected wetlands 10 miles away in the first attempt to expand the threatened species' range in Southern California.

Five hundred eggs transported from the Upper Las Virgenes Canyon Open Space Preserve to the Santa Monica Mountains are expected to hatch any day. When they do, they will reintroduce red-legged frog tadpoles to historic haunts that are free of predatory fish, snails and crayfish that could tear them apart.

About two years from now, if all goes according to plan, the mating calls of the largest native frog west of the Mississippi will rejoin the natural sounds in remote mountainous terrain where the species has not been seen in nearly half a century.

The biologists were led by Katy Delaney of the Santa Monica Mountains National Recreation Area. She waded into a deep rocky pool shortly after sunrise Tuesday and used her fingers to gently coax portions of two submerged egg masses attached to willow branches into plastic containers.

"Ooh! They're wily little things!" she said with a nervous laugh, while trying to retrieve a couple of eggs that had slipped through her fingers and were floating downstream. "You're going to love your new home. Promise."

The collaborative effort involving the National Park Service, the U.S. Geological Survey, the U.S. Fish and Wildlife Service and the Mountains Recreation and Conservation Authority aims to return the species, known to scientists as *Rana draytonii*, to some of the waterways where it thrived for hundreds of thousands of years.

Since the 1960s, the frog has been decimated by fires, mudslides, pesticides, fungal infections and loss of habitat, as well as the appetites of raccoons and nonnative fish, bullfrogs and crayfish. Today, it exists in about 30 percent of its historic range.

With skin as permeable as a sponge, the species is susceptible to a skin fungus that has wiped out amphibian populations around the world. The fungus swept through California in the 1960s and 1970s, killing millions of frogs and fragmenting survivors into isolated groups.

"The few frog populations that survived - including these red-legged frogs - have somehow persisted with the disease," Adam Backlin, a USGS field biologist, said. "They seem to have figured out how to deal with it."

"So if this translocation effort works, we'll dispatch them to additional sites in Southern California," Backlin said.

Moving frogs to conserve them in California has already re-established thriving populations in the Central Valley's Pinnacles National Park and the Bay Area's Golden Gate National Recreation Area.

©2014 Los Angeles Times

Distributed by MCT Information Services

Citation: Biologists move 500 red-legged frog eggs to mountain wetlands (2014, March 17) retrieved 27 June 2024 from <https://phys.org/news/2014-03-biologists-red-legged-frog-eggs->

[mountain.html](#)

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.