


Relaxation helps pack DNA into a virus

May 26 2014



This image shows cross-sections of the empty prohead of the bacteriophage phi29 (left) and the fully assembled virus (right). A molecular motor transports the DNA (red) into the prohead through a portal. Higher resolution TIFF image available. Credit: Jingua Tang and Timothy Baker, University of California, San

Diego

Researchers at the University of California, San Diego have found that DNA packs more easily into the tight confines of a virus when given a chance to relax, they report in a pair of papers to be published in the early edition of the *Proceedings of the National Academy of Sciences* the week of May 26 and the May 30 issue of *Physical Review Letters*.

DNA is a long, unwieldy molecule that tends to repel itself because it is negatively charged, yet it can spool tightly. Within the heads of viruses, DNA can be packed to near crystalline densities, crammed in by a [molecular motor](#).

"These are among the most powerful molecular motors we know of," says Douglas Smith, a professor of physics whose group studies them.

Within an infected cell, viruses assemble in a matter of minutes. Smith's group studies the process by isolating components of this system to watch single molecules in action.

They attach the empty head of a single virus, along with the molecular motor, to a microscopic bead that can be moved about using a laser. To another bead, they tether a molecule of viral DNA.

"It's like fishing," Smith says. "We dangle a DNA molecule in front of the viral motor. If we're lucky, the motor grabs the DNA and starts pulling it in."

Packaging proceeds in fits and starts, with slips and pauses along the way. These pauses increase, along with forces the motor counters, as the viral head becomes full.

Scientists who model this process have had to make assumptions about the state of the DNA within. An open question is whether the DNA is in its lowest energy state, that is at equilibrium, or in a disordered configuration.

"In confinement, it could be forming all kinds of knots and tangles," said Zachary Berndsen, a graduate student in biochemistry who works with Smith and is the lead author of the *PNAS* paper.

To figure this out, Berndsen stalled the motor by depriving it of chemical energy, and found that packaging rates picked up when the motor restarted. The longer the stall, the greater the acceleration.

DNA takes more than 10 minutes to fully relax inside the confines of a viral head where there's little wiggle room, the team found. That's 60,000 times as long as it takes unconfined DNA to relax.

"How fast this virus packages DNA is determined by physics more than chemistry," Smith said.

DNA's tendency to repel itself due to its negative charge may actually facilitate the relaxation. In related experiments, the researchers added spermidine, a positively charged molecule that causes DNA in solution to spool up.

"You might think the stickiness would enhance packing, but we find that the opposite is true," said Nicholas Keller, the lead author of this second report, published in *Physical Review Letters*.

Countering the negative charges, particularly to the point of making the DNA attractive to itself, actually hindered the packaging of DNA.

"The DNA can get trapped into conformations that just stop the motor,"

Keller said.

"We tend to think of DNA for its information content, but living systems must also accommodate the physical properties of such a long molecule," Berndsen said. "Viruses and cells have to deal with the forces involved."

Beyond a clearer understanding of how viruses operate, the approach offers a natural system that is a model for understanding and studying the physics of long polymers like DNA in confined spaces. The insights could also inform biotechnologies that enclose long polymers within minuscule channels and spheres in nanscale devices.

More information: Nonequilibrium dynamics and ultraslow relaxation of confined DNA during viral packaging , *PNAS*, www.pnas.org/cgi/doi/10.1073/pnas.1405109111

Provided by University of California - San Diego

Citation: Relaxation helps pack DNA into a virus (2014, May 26) retrieved 3 May 2024 from <https://phys.org/news/2014-05-dna-virus.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
