

NASA Soil Moisture Mapper arrives at launch site

October 16 2014, by Steve Cole



NASA's Soil Moisture Active Passive (SMAP) spacecraft is delivered by truck to the Astrotech payload processing facility at Vandenberg Air Force Base in California on Wednesday, Oct. 15, 2014. Credit: NASA

A NASA spacecraft designed to track Earth's water in one of its most important, but least recognized forms—soil moisture—now is at Vandenberg Air Force Base, California, to begin final preparations for launch in January.

The Soil Moisture Active Passive (SMAP) spacecraft arrived Wednesday at its launch site on California's central coast after traveling from NASA's Jet Propulsion Laboratory (JPL) in Pasadena, California.

The spacecraft will undergo final tests and then be integrated on top of a United Launch Alliance Delta II rocket in preparation for a planned Jan. 29 launch.

SMAP will provide the most accurate, highest-resolution global measurements of [soil moisture](#) ever obtained from space and will detect whether the ground is frozen or thawed. The data will be used to enhance scientists' understanding of the processes that link Earth's water, energy and carbon cycles.

Soil moisture is critical for plant growth and supplies aquifers, which are underground water supplies contained in layers of rock, sand or dirt. Through evaporation, water in the soil cools the land surface and lower atmosphere while seeding the upper atmosphere with moisture that forms clouds and rain. High-resolution global maps of soil moisture produced from SMAP will allow scientists to understand how regional water availability is changing and inform water resource management decisions.

"Water is vital for all life on Earth, and the water present in soil is a small but critically important part of Earth's water cycle," said Kent Kellogg, SMAP project manager at JPL. "The delivery of NASA's SMAP spacecraft to Vandenberg Air Force Base marks a final step to bring these unique and valuable measurements to the global science community."

SMAP data also will aid in predictions of plant growth and agricultural productivity, improve weather and climate forecasts, and enhance our ability to predict the extent and severity of droughts and where floods may occur. SMAP's freeze/thaw data will also be used to detect changes in the length of the growing season, which is an indicator of how much carbon plants take up from the atmosphere each year.

Among the users of SMAP data will be hydrologists, weather forecasters, climate scientists, and agricultural and water resource managers. Additional users include fire hazard and flood disaster managers, disease control and prevention managers, emergency planners and policy makers.

To make its high-resolution, high-accuracy measurements, SMAP will combine data from two microwave instruments—a synthetic aperture radar and a radiometer—in a way that uses the best features of each. The instruments can peer through clouds and moderate vegetation cover day and night to measure [water](#) in the top 2 inches (5 centimeters) of the soil.

Provided by NASA

Citation: NASA Soil Moisture Mapper arrives at launch site (2014, October 16) retrieved 11 May 2024 from <https://phys.org/news/2014-10-nasa-soil-moisture-mapper-site.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.