

# Photosynthesis has unique isotopic signature

April 23 2015

---



The closed terrarium with water hyacinths inside. Credit: Jeanine Ash

Photosynthesis leaves behind a unique calling card, a chemical signature that is spelled out with stable oxygen isotopes, according to a new study in *Science*. The findings suggest that similar isotopic signatures could

exist for many biological processes, including some that are difficult to observe with current tools.

"We've found a new type of biosignature," said co-lead author Laurence Yeung, an assistant professor of Earth science at Rice University. "We show that plants and plankton impart this type of biosignature on the [oxygen](#) they produce during photosynthesis."

Yeung, who joined Rice in January, conducted the study with colleagues at the University of California, Los Angeles.


Isotopes are versions of an element that differ in their atomic weights. For example, most [oxygen atoms](#) contain eight protons and eight neutrons and are represented by the symbol O-16. More than 99.9 percent of Earth's oxygen is O-16, but two heavier oxygen isotopes exist in trace amounts: O-17, which contains one extra neutron, and O-18, which has two extra.

Scientists know that plants and animals sometimes process heavy isotopes like O-17 and O-18 at a different pace than O-16. For instance, when sea temperatures decrease, corals and mollusks produce calcium carbonate—the raw material of ocean reefs and clam shells—that contains greater amounts of heavy oxygen isotopes. As a result, scientists have used isotopic ratios from carbonate fossils to estimate global temperatures in the distant past.

Most [atmospheric oxygen](#) exists as O<sub>2</sub>, stable [molecules](#) that each contain two oxygen atoms. Because O-16 is so common, the vast majority of O<sub>2</sub> molecules have an atomic weight of 32. Even in cases where a heavy isotope is paired with O-16, the atomic weight of O<sub>2</sub> is never greater than 34.

In the new study, Yeung and his UCLA colleagues examined "clumped"

[oxygen isotopes](#), O<sub>2</sub> molecules that contain two heavy isotopes. Such molecules, which have masses of 35 and 36, are exceptionally rare; less than a handful exist in every trillion O<sub>2</sub> molecules. But today's mass spectrometers are sophisticated enough to tally them and allow scientists the opportunity to compare their relative abundance in various circumstances.



Using stable isotopic analysis, Laurence Yeung, Jeanine Ash, and Edward Young discovered that plants and plankton impart a unique biosignature on the oxygen they produce during photosynthesis. Credit: Doug Rumble

"By measuring the proportion of O<sub>2</sub> molecules with masses of 36 and 35, and comparing those with the proportions that should exist simply by

chance, we can determine isotopic signatures of specific chemical reactions," Yeung said.

He said his research involves equal parts oceanography, atmospheric chemistry and quantum dynamics. But it is the study of the quantum behavior of atoms that is key to understanding how heavy isotopic oxygen molecules can be used as a proxy for processes like photosynthesis.

"One of the things plants do during [photosynthesis](#) is form O<sub>2</sub>," he said. "They do this at the end of a five-step process that breaks apart water molecules and ends with the formation of an O<sub>2</sub> molecule. We found that this process produced fewer clumped pairs than would be predicted by random chance. We argue that this reflects the isotopic preferences of plants during one of the earlier steps in the process."

Yeung said one example of how the isotopic signature could be used is to assess the health of oceans. Photosynthesis by microscopic plants forms the base of the oceanic food chain, but it is difficult to measure how productive these plants are in natural settings. Yeung said he and his collaborators are examining whether it is possible to measure productivity in the open ocean based upon an isotopic analysis of O<sub>2</sub> dissolved in surface seawater.

"Looking at oxygen through the lens of clumped isotopes will give us a lot of new information about how oxygen is made and consumed by plants," said study co-lead author Jeanine Ash, a graduate student at UCLA. "I'm very excited about what this approach holds for the future. There are so many other gases that the biosphere utilizes. This is only the beginning."

**More information:** Biological signatures in clumped isotopes of O<sub>2</sub>, [www.sciencemag.org/lookup/doi/ ... 1126/science.aaa6284](http://www.sciencemag.org/lookup/doi/.../1126/science.aaa6284)

Provided by Rice University

Citation: Photosynthesis has unique isotopic signature (2015, April 23) retrieved 27 April 2024 from <https://phys.org/news/2015-04-photosynthesis-unique-isotopic-signature.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.