


# Study demonstrates rapid control of phase-changes in resonantly bonded materials

July 28 2015



Schematic of the ultrafast transformation pathway. Credit: ICFO/Fritz-Haber-Inst. MPG/SUTD

Rewritable CDs, DVDs and Blu-Ray discs owe their existence to phase-change materials, those materials that change their internal order when heated and whose structures can be switched back and forth between their crystalline and amorphous phases. Phase-change materials have even more exciting applications on the horizon, but our limited ability to precisely control their phase changes is a hurdle to the development of new technology.

One of the most popular and useful phase-change [materials](#) is GST, which consists of germanium, antimony, and tellurium. This material is particularly useful because it alternates between its crystalline and

amorphous phases more quickly than any other material yet studied. These phase changes result from changes in the bonds between atoms, which also modify the electronic and optical [properties](#) of GST as well as its [lattice structure](#). Specifically, resonant bonds, in which electrons participate in several neighboring bonds, influence the material's electro-optical properties, while [covalent bonds](#), in which electrons are shared between two atoms, influence its lattice structure. Most techniques that use GST simultaneously change both the electro-optical and structural properties. This is actually a considerable drawback since in the process of repeating structural transitions, such as heating and cooling the material, the lifetime of any device based on this material is drastically reduced.

In a study recently published in *Nature Materials*, researchers from the ICFO groups led by Prof. Simon Wall and ICREA Prof. at ICFO Valerio Pruneri, in collaboration with the Firtz-Haber-Institut der Max-Planck-Gesellschaft, have demonstrated how the material and electro-optical properties of GST change over fractions of a trillionth of a second as the phase of the material changes. Laser light was successfully used to alter the bonds controlling the electro-optical properties without meaningfully altering the bonds controlling the lattice. This new configuration allowed the rapid, reversible changes in the electro-optical properties that are important in device applications without reducing the lifetime of the device by changing its lattice structure. Moreover, the change in the electro-optical properties of GST measured in this study is more than ten times greater than that previously achieved by silicon materials used for the same purpose. This finding suggests that GST may be a good substitute for these commonly used silicon materials.

The results of this study may be expected to have far-reaching implications for the development of new technologies, including flexible displays, logic circuits, optical circuits, and universal memory for data storage. These results also indicate the potential of GST for other

applications requiring materials with large changes in [optical properties](#) that can be achieved rapidly and with high precision.

**More information:** Time-domain separation of optical properties from structural transitions in resonantly bonded materials, [DOI: 10.1038/nmat4359](#)

Provided by ICFO-The Institute of Photonic Sciences

Citation: Study demonstrates rapid control of phase-changes in resonantly bonded materials (2015, July 28) retrieved 2 May 2024 from <https://phys.org/news/2015-07-rapid-phase-changes-resonantly-bonded-materials.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--