

58,046 fruit flies shed light on century-old biological question

September 18 2015, by Anne Olga Syverhuset



Researchers from Norway and Florida were able to change the fundamental relationship between size and roundness in fruit flies in 26 generations -- but natural selection took much less time to return the wing relationship to "normal." Credit: David Hole, Florida State University

Throughout the natural world, shape, physiology and behavior are strongly related to the size of the organisms.

These relationships are found both within species and between species, and often remain unchanged in species separated for millions of years. For example, the hearts of small species beat much faster than those of large species, and the antlers of small deer species are smaller, relative to body size, compared to antlers of large species.

Sometimes these relationships are so strong that they are considered to be laws of nature, so much so that generations of biologists over the last 100 years have wondered whether or not these relationships can be changed by [natural selection](#).

In a paper published this week in the *Proceedings of the National Academy of Sciences (PNAS)*, researchers from the Norwegian University of Science and Technology's Center for Biodiversity Dynamics (CBD), the Centre for Evolutionary and Ecological Synthesis at the University of Oslo and Florida State University now say that the answer to this question is both yes (in principle), but no (in practice).

"Our results suggest that these traits can evolve, but changing these relationships creates deleterious side effects for the organism. Therefore, evolution through natural selection will be strongly constrained, at least on shorter timescales of less than one million years," the researchers said.

58,046 fruit flies

The researchers had help exploring this question from 58,046 fruit flies (*Drosophila melanogaster*) in an experiment where the flies were deliberately bred to have relationships between wing shape and size that you would not normally see in nature.

"In just 26 generations, we managed to create relationships between the shape and size of fly wings that were more extreme than those resulting

from more than 50 million years of evolution," says Geir H. Bolstad, a former postdoctoral fellow at CBD, and now a researcher at the Norwegian Institute for Nature Research (NINA) who is also lead author of the *PNAS* paper.

However, when researchers stopped their artificial breeding efforts and let nature take its course, the relationship between shape and size returned to normal in just 15 generations.

In other words, many generations of [artificial selection](#) were reversed relatively quickly when natural selection itself was left to decide which characteristics were the best for the flies. To understand why this is so requires a more detailed explanation.

Natural law: Small wings are roundest

In flies, small wings are normally rounder than large wings. This relationship between roundness and size is very consistent, and it has held more or less true over more than 50 million years of evolution.

But by artificial breeding, the research team managed to change this relationship in just 26 generations.

"We managed to selectively breed flies so that large wings were rounder than small wings, but also the opposite so that the small wings were even rounder and the large wings even more elongated than expected compared with the normal populations," Bolstad said.

This means that the proportions between the various traits changed systematically in a different ways, as if there were longer fingers on smaller hands than on large hands.

But when the researchers stopped their artificial breeding efforts, the

relationship between size and roundness in the flies' wings returned to normal in just 15 generations.

Most surprisingly, in flies where the researchers had heavily modified wing shape through artificial selection but without affecting the relationship between [wing shape](#) and size, there was no such return to the starting point.

In nature, the form and size of a wing are important for aerodynamics. In a laboratory, however, being aerodynamic is not critical to a fly's survival.

Stable characteristics over millions of years

"The reason that the relationship between size and roundness returned to the starting point is probably because we selected genes that also negatively affected other characteristics," Bolstad said.

Natural selection thus "corrected" the changes that researchers had created through artificial breeding. It took only relatively few generations to make these corrections because the negative characteristics that resulted from the artificial breeding put flies at a disadvantage in the competition to reproduce.

This is consistent with a fundamental biological theory that basic developmental processes in an organism are linked to many other properties, because the same genes affect a number of properties.

Allometric relationships, such as the relationship between wing size and shape in [flies](#), are considered to be the result of such fundamental development.

For that reason, researchers expect artificial selection to have negative

effects on the organism's essential characteristics.

"In fact, this may be an important part of the explanation why some properties and relationships remain unchanged over millions of years of evolution," Bolstad said.

Constraints on evolution

"This project has been a wonderful collaboration between several research institutions where we made an important step forward in understanding processes that constrain evolution. Our results answer several of our initial questions but also raise new questions about development and selection," said Christophe Pélabon, a professor of evolutionary biology at the Norwegian University of Science and Technology who was head of the project at CBD.

The experiment does not provide the definitive answer to the question of what limits evolution, the researchers said, because they studied only one trait of one organism, and additional research needs to be conducted to determine if the findings can be applied more generally.

More information: Complex constraints on allometry revealed by artificial selection on the wing of *Drosophila melanogaster*, Geir H. Bolstad, [DOI: 10.1073/pnas.1505357112](https://doi.org/10.1073/pnas.1505357112)

Abstract

Precise exponential scaling with size is a fundamental aspect of phenotypic variation. These allometric power laws are often invariant across taxa and have long been hypothesized to reflect developmental constraints. Here we test this hypothesis by investigating the evolutionary potential of an allometric scaling relationship in drosophilid wing shape that is nearly invariant across 111 species separated by at least 50 million years of evolution. In only 26 generations of artificial selection in a

population of *Drosophila melanogaster*, we were able to drive the allometric slope to the outer range of those found among the 111 sampled species. This response was rapidly lost when selection was suspended. Only a small proportion of this reversal could be explained by breakup of linkage disequilibrium, and direct selection on wing shape is also unlikely to explain the reversal, because the more divergent wing shapes produced by selection on the allometric intercept did not revert. We hypothesize that the reversal was instead caused by internal selection arising from pleiotropic links to unknown traits. Our results also suggest that the observed selection response in the allometric slope was due to a component expressed late in larval development and that variation in earlier development did not respond to selection. Together, these results are consistent with a role for pleiotropic constraints in explaining the remarkable evolutionary stability of allometric scaling.

Provided by Norwegian University of Science and Technology

Citation: 58,046 fruit flies shed light on century-old biological question (2015, September 18)
retrieved 25 April 2024 from
<https://phys.org/news/2015-09-fruit-flies-century-old-biological.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--