

# Hubble reveals diversity of exoplanet atmosphere: Largest ever comparative study solves missing water mystery

December 14 2015

---



Artist's impression of the ten hot Jupiter exoplanets studied by David Sing and his colleagues. From top left to to lower left these planets are WASP-12b, WASP-6b, WASP-31b, WASP-39b, HD 189733b, HAT-P-12b, WASP-17b, WASP-19b, HAT-P-1b and HD 209458b. Credit: ESA/Hubble & NASA

Astronomers have used the NASA/ESA Hubble Space Telescope and the NASA Spitzer Space Telescope to study the atmospheres of ten hot, Jupiter-sized exoplanets in detail, the largest number of such planets ever studied. The team was able to discover why some of these worlds seem to have less water than expected—a long-standing mystery. The results are published in *Nature*.

To date, astronomers have discovered nearly 2000 [planets](#) orbiting other stars. Some of these planets are known as hot Jupiters, hot, gaseous planets with characteristics similar to those of Jupiter. They orbit very close to their stars, making their surface hot, and the planets tricky to study in detail without being overwhelmed by bright starlight.

Due to this difficulty, Hubble has only explored a handful of hot Jupiters in the past, across a limited wavelength range. These initial studies have found several planets to hold less water than expected.

Now, an international team of astronomers has tackled the problem by making the largest ever study of hot Jupiters, exploring and comparing ten such planets in a bid to understand their atmospheres. Only three of these [planetary atmospheres](#) had previously been studied in detail; this new sample forms the largest ever spectroscopic catalogue of [exoplanet atmospheres](#).

The team used multiple observations from both the NASA/ESA Hubble Space Telescope and NASA's Spitzer Space Telescope. Using the power of both telescopes allowed the team to study the planets, which are of various masses, sizes, and temperatures, across an unprecedented range of wavelengths.

"I'm really excited to finally 'see' this wide group of planets together, as this is the first time we've had sufficient wavelength coverage to be able to compare multiple features from one planet to another," says David

Sing of the University of Exeter, UK, lead author of the new paper. "We found the planetary atmospheres to be much more diverse than we expected."



This image shows an artist's impression of the ten hot Jupiter exoplanets studied by David Sing and his colleagues. The images are to scale with each other. HAT-P-12b, the smallest of them, is approximately the size of Jupiter, while WASP-17b, the largest planet in the sample, is almost twice the size. The planets are also depicted with a variety of different cloud properties. Credit: ESA/Hubble & NASA

All of the planets have a favourable orbit that brings them between their parent star and Earth. As the exoplanet passes in front of its host star, as seen from Earth, some of this starlight travels through the planet's outer

atmosphere. "The atmosphere leaves its unique fingerprint on the starlight, which we can study when the light reaches us," explains co-author Hannah Wakeford, now at NASA Goddard Space Flight Center, USA.

These fingerprints allowed the team to extract the signatures from various elements and molecules—including water—and to distinguish between cloudy and cloud-free exoplanets, a property that could explain the missing water mystery.

The team's models revealed that, while apparently cloud-free exoplanets showed strong signs of water, the atmospheres of those hot Jupiters with faint water signals also contained clouds and haze—both of which are known to hide water from view. Mystery solved!

"The alternative to this is that planets form in an environment deprived of water—but this would require us to completely rethink our current theories of how planets are born," explained co-author Jonathan Fortney of the University of California, Santa Cruz, USA. "Our results have ruled out the dry scenario, and strongly suggest that it's simply clouds hiding the [water](#) from prying eyes."

The study of exoplanetary atmospheres is currently in its infancy, with only a handful of observations taken so far. Hubble's successor, the James Webb Space Telescope, will open a new infrared window on the study of exoplanets and their [atmospheres](#).

**More information:** A continuum from clear to cloudy hot-Jupiter exoplanets, *Nature*, Dec. 14, 2015. [DOI: 10.1038/nature16068](https://doi.org/10.1038/nature16068)

Provided by ESA/Hubble Information Centre

Citation: Hubble reveals diversity of exoplanet atmosphere: Largest ever comparative study solves missing water mystery (2015, December 14) retrieved 18 April 2024 from <https://phys.org/news/2015-12-hubble-reveals-diversity-exoplanet-atmosphere.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.